



Agenda
Planning Commission Meeting
7:00 P.M. on Tuesday, August 10, 2010
Hoyer Hall, Clayton Community Library, 6125 Clayton Road, Clayton

CALL TO ORDER, ROLL CALL, PLEDGE TO THE FLAG

Administrative

- 1A. Review of agenda items.
- 1B. Commissioner Armstrong to report at the City Council meeting on September 7, 2010.

Public Comment

Approval of Minutes

- 2. Approval of minutes from the meeting of July 13, 2010.

Public Hearings

- 3. **ZOA 05-09, Municipal Code Amendment, City of Clayton.** A public hearing to consider recommending City Council approval of a Landscape Water Conservation Ordinance to implement the Water Conservation in Landscaping Act of 2006 (Assembly Bill 1881, Laird).

Proposed Action: Recommend City Council approval.

Old Business

- 4. Review Tree Replacement Options for removed Cypress Tree at the Grove Park.

Proposed Action: Select Tree Replacement Option.

New Business

- 5. None.

Communications

- 6A. Staff.
- 6B. Commission.

Adjournment

- 7. The next meeting of the Planning Commission is scheduled for **Tuesday, August 24, 2010.**

Most Planning Commission decisions are appealable to the City Council within ten (10) calendar days of the decision. Please contact Community Development Department staff for further information immediately following the decision. If the decision is appealed, the City Council will hold a public hearing and make a final decision. If you challenge a final decision of the City in court, you may be limited to raising only those issues you or someone else raised at the public hearing(s), either in oral testimony at the hearing(s) or in written correspondence delivered to the Community Development Department at or prior to the public hearing(s). Further, any court challenge must be made within 90 days of the final decision on the noticed matter. If you have a physical impairment that requires special accommodations to participate, please contact the Community Development Department at least 72 hours in advance of the meeting at 925-673-7340. An affirmative vote of the Planning Commission is required for approval. A tie vote (e.g., 2-2) is considered a denial. Therefore, applicants may wish to request a continuance to a later Commission meeting if only four Planning Commissioners are present.

Any writing or documents provided to the majority of the Planning Commission after distribution of the agenda packet regarding any item on this agenda will be made available for public inspection in the Community Development Department located at 6000 Heritage Trail during normal business hours.

Minutes
Clayton Planning Commission Meeting
Tuesday, July 13, 2010

Call to Order

Chair Bob Armstrong called the meeting to order at 7:00 p.m. at Hoyer Hall, 6125 Clayton Road, Clayton.

Present: Chair Bob Armstrong, Vice Chair Sandra Johnson, Commissioner Tuija Catalano, Commissioner Ted Meriam, Commissioner Dan Richardson
Staff: Community Development Director David Woltering
Assistant Planner Milan Sikela

Administrative

1A. Selection of Chair and Vice Chair.

Commissioner Richardson moved and Commissioner Catalano seconded a motion to elect Vice Chair Johnson as Chair of the Planning Commission. The motion passed 5-0.

Commissioner Catalano moved and Commissioner Meriam seconded a motion to elect Commissioner Richardson as Vice Chair of the Planning Commission. The motion passed 5-0.

1B. Review of agenda items.

1C. Vice Chair Richardson to report at the City Council meeting on July 20, 2010.

Public Comment

None.

Approval of Minutes

2. Approval of minutes from the meeting of June 22, 2010.

Commissioner Armstrong moved and Commissioner Catalano seconded the motion to approve the minutes from the meeting of June 22, 2010, as amended. The motion passed 5-0.

Public Hearings

3A. **LLA 01-10, Lot Line Adjustment.** A lot line adjustment to transfer the following areas of land from the existing "Seeno" strip property running adjacent to Rialto Drive and Regency Drive (APN 119-271-006) to the following existing lots within the Diablo Pointe subdivision:

- 1,351 square feet to Lot 8 (APN 119-640-002) and a portion of the roadway;
- 2,955 square feet to Lot 9 (APN 119-640-003) and a portion of the roadway;
- 635 square feet to Lot 11 (APN 119-640-005); and
- 1,452 square feet to Lot 12 (APN 119-640-006).

3B. **LLA 02-10, Lot Line Adjustment.** A lot line adjustment to transfer the following areas of land from the existing “Seeno” strip property running adjacent to Rialto Drive and Regency Drive (APN 119-271-006) to the following existing lots within the Diablo Pointe subdivision:

- 8,097 square feet to Lot 13 (APN 119-640-007);
- 1,348 square feet to Lot 14 (APN 119-640-008); and
- 3,618 square feet to Lot 15 (APN 119-640-009).

Chair Johnson opened the public hearing. Assistant Planner Sikela presented the staff report for both lot line adjustments.

Commission comments and questions included:

- Did the Seeno strip get recorded with the Diablo Pointe final map? Civil engineer Gordon Schell, representative of the applicant, indicated that the Seeno strip was not part of the final map for the subdivision. Director Woltering added that the strip pre-existed the Diablo Pointe subdivision but will be merged with the adjacent lots within the subdivision as a result of the Lot Line Adjustments.
- Does Mr. Seeno have any objections? Mr. Schell indicated that First Horizon bank has purchased the strip from Mr. Seeno.
- The Commission determined that the Lot Line Adjustment proposals conformed to local zoning and building ordinances, per Section 16.02.030.D of the Clayton Subdivision Ordinance.

Commissioner Catalano moved and Vice Chair Richardson seconded a motion to approve Lot Line Adjustment LLA 01-10 and Lot Line Adjustment LLA 02-10, with the conditions of approval recommended by staff. The motion passed 5-0.

Old Business

4. None.

New Business

5. None.

Communications

6A. Staff.

Director Woltering indicated the following:

- Staff will attend a kickoff meeting on July 15, 2010 with members of the Clayton Community Church and LSA Associates to discuss the preparation of the environmental impact report (EIR) for the Clayton Community Church project by LSA Associates.
- The second reading for the Creekside Terrace project will occur at the next City Council meeting on July 20, 2010. After approval of the project, the Clayton Redevelopment Agency is anticipated to seek to sell the project to a developer.
- The Landscape Water Conservation Ordinance will be brought before the Planning Commission at the August 10, 2010 Planning Commission meeting.

6B. Commission.

Commissioner Catalano indicated that she would not be attending the August 10, 2010 meeting.

Vice Chair Richardson commended former Chair Armstrong on his excellent work as Chair of the Planning Commission. The other Planning Commissioners concurred.

Adjournment

7. The meeting was adjourned at 7:27 p.m. The Planning Commission meeting scheduled for **Tuesday, July 27, 2010** is cancelled. The next regular meeting of the Planning Commission is on **Tuesday, August 10, 2010**.

Submitted by
David Woltering, AICP
Community Development Director

Approved by
Sandra Johnson
Chair

Plng Comm\Minutes\2010\0713

PLANNING COMMISSION STAFF REPORT

Meeting Date: August 10, 2010

From: David Woltering, Community Development Director 

Subject: Amendment to the Clayton Municipal Code (ZOA 05-09) to Implement the Water Conservation in Landscaping Act of 2006 (Assembly Bill 1881, Laird)

BACKGROUND/ANALYSIS

In 2006, State Assembly Bill (AB) 1881 was passed. This legislation directed the California Department of Water Resources (DWR) to develop a new State Landscape Water Conservation Ordinance. DWR prepared this ordinance, which became effective January 1, 2010. The resulting Model Water Efficient Landscape Ordinance (See Attached), dated September 10, 2009, was presented to and reviewed with the Planning Commission at its meetings of November 10, and November 24, 2009, with related discussion at its February 9, 2010 meeting. This State Ordinance requires all new and rehabilitated landscapes be designed and installed to meet the latest best practices for water use efficiency. All cities and counties in California are required to adopt the State Ordinance as written or develop their own ordinance that is at least as effective in conserving water.

As discussed at the November 2009 meetings of the Planning Commission, the DWR Model ordinance would be onerous to administer and implement. Consequently, City of Clayton staff joined with staff members of other local communities and members of the East Bay Municipal Utility District and the Contra Costa Water District to develop an alternative ordinance that would be equally effective as the DWR ordinance, but less complicated and easier to administer and implement. The result of this joint effort is the attached Regional Landscape Water Conservation Ordinance.

The Regional Ordinance improves upon the State Ordinance in terms of making administration and implementation of this State water efficiency mandate easier and less complicated. The Regional Ordinance includes a checklist of planting and irrigation requirements, simplifying the process for design and review of the related plans. The Regional Ordinance includes *Certificate of Compliance* forms. These forms offer the opportunity for self-certification, based on satisfying specified requirements, by designers, installers, and water auditors. This is an important aspect of the Regional Ordinance as this self-certification feature should substantially reduce the cost and time for implementation. Additionally, the Regional Ordinance provides an incentive for

projects that have no turf. Projects with all water-efficient plants and no turf are provided a simplified application process and will be exempt from having to prepare a Maximum Applied Water Allowance calculation.

Presently, the City of Clayton has “Water Conserving Landscape Guidelines” contained in Chapter 17.80 of the Clayton Municipal Code. It is anticipated that this Chapter of the Municipal Code would be amended to insert in place of the “Guidelines” the City’s adopted version of the Regional Ordinance. Clayton staff has reviewed the Regional Ordinance, and while this ordinance is substantially improved over the State version, staff suggests additional changes as follows:

1. Under II. Applicability A. and C., merge respective items i and ii into a single descriptive parameter (item).
2. Under IV.B.ii., modify to a 5,000 square foot threshold or eliminate.
3. For public (City) projects, allow City to determine necessary qualifications for those individuals signing certifications. City has individuals with 20 plus years experience and the necessary demonstrated knowledge and ability to perform certification work. It would not be cost-effective for the City to have to contract out to individuals with prescribed accreditations to certify work normally done by City staff.

Until the City adopts an alternative ordinance, the DWR Model Water Efficient Landscape Ordinance is the default ordinance in Clayton for applicable projects.

RECOMMENDATION

Staff recommends that the Planning Commission suggest appropriate “local” modifications to the attached Regional Landscape Water Conservation Ordinance. Based on those recommended modifications, staff will return at a future meeting with the necessary resolution and draft City Ordinance for the Planning Commission to make a formal recommendation for a City Council action on this matter.

Attachments:

1. Regional Landscape Water Conservation Ordinance, dated April 29, 2010.
2. Model Water Efficient Landscape Ordinance, dated September 10, 2009, from the State Department of Water Resources.

**REGIONAL
LANDSCAPE WATER
CONSERVATION
ORDINANCE**

April 29, 2010

I. Title

This ORDINANCE shall be known as the *[insert name of Entity]* Regional Landscape Water Conservation Ordinance.

II. Applicability

After *[insert effective date of ordinance]*, the indicated provisions of this Ordinance shall apply to landscape projects as follows:

- A. Developer Projects: New and rehabilitated landscape development for commercial, multi-family, and single family projects:
 - i. With irrigated landscape areas equal to or greater than 2,500 square feet;
 - ii. Requiring a building permit, grading permit, plan check, or design review shall complete Section III, the Landscape Project Application (LPA), and comply with all other sections of this Ordinance.
- B. Municipality and Public Agency Projects: New and rehabilitated projects designed and installed by *[insert name of Entity]* with irrigated landscape areas equal to or greater than 2,500 square feet shall comply with sections IV, VI, VIII, IX, X, XII, and XIII;
- C. Owner-Directed Single Family Projects: New and rehabilitated owner-directed single family projects:
 - i. With irrigated landscape areas equal to or greater than 5,000 square feet;
 - ii. Requiring a building permit, grading permit, plan check, or design review shall complete Section III, the Landscape Project Application (LPA), and comply with all other sections, except section VIII, of this Ordinance.
- D. Existing Landscapes: Existing landscapes are only subject to the provisions in Section X, "Provisions for Existing Landscapes" and "XI, Public Education"
- E. The provisions of this Ordinance shall not apply to:
 - i. Landscapes that are only temporarily irrigated for establishment purposes and landscapes that are not irrigated with a permanent irrigation system;
 - ii. Registered local, state or federal historical sites, as determined by the planning commission or city council;
 - iii. Community gardens, botanical gardens and arboretums open to the public.

III. Landscape Project Application (LPA) Requirements

Applicant shall choose one of the two options below to comply with this ordinance:

4/29/10

- A. Option A: Proposed landscape project does not include any:
- i. Water features with more than 100 square feet of total surface area;" or
 - ii. Turf or other high water use plants, unless they qualify as a "Special Landscape Area. High water use plants are those designated as 'high water use' in the Water Use Classification of Landscape Species (WUCOLS) report¹.

The applicant shall complete the following:

- iii. Project Application Sheet (Attachment A);
- iv. Certification Sheets (Attachment B, C, D, E);
- v. Landscape Plans (See Section V);
- vi. Maintenance Schedule (See Section VIII).

- B. Option B: Proposed landscape project does include:

- i. Water features with more than 100 square feet of total surface area; or
- ii. Turf or other high water use plants not qualifying as a "Special Landscape Area." The Estimated Total Water Use (ETWU) for the proposed landscape shall not exceed the Maximum Applied Water Allowance (MAWA) for the site (see attachment F). The MAWA formula will use an ET Adjustment Factor of 0.7.

The applicant shall complete the following:

- iii. Project Application Sheet (Attachment A);
- iv. Certification Sheets (Attachment B, C, D, E);
- v. Water Allowance Work Sheets (Attachment F);
- vi. Landscape Plans (See Section V);
- vii. Maintenance Schedule (See Section VIII).

An applicant requesting design review approval shall submit, at a minimum, a preliminary landscaping plan with the design review application; however, the applicant must submit all components of the Landscape Project Application (LPA) concurrently with the application for building permit or grading permit for the project.

The [*insert name of Entity Designee*] shall review each LPA for compliance with the provisions of this ordinance and may withhold issuance of zoning approval for a building

¹ Water Use Classification of Landscape Species (WUCOLS) report which is available at <http://www.water.ca.gov/wateruseefficiency/publications/> A Guide to Estimating, Part 2.

permit or grading permit for which its corresponding LPA does not comply with this ordinance.

IV. Water-Efficient Landscape Standards

The proposed landscape design shall incorporate the most recent acceptable best management practices for water-efficient landscape design and shall comply with the following standards:

A. Plant Design:

- i. Plants selected shall be well suited to the area's climate and the site's soil conditions.
- ii. The proposed landscape shall be designed so that distinct hydrozones are irrigated separately by one or more irrigation valves. A hydrozone is an area with similar sun exposure, irrigation precipitation rate, soil conditions, slope, and plant material with similar water needs. Refer to the WUCOLS report for plant water needs.
- iii. Plants shall be spaced appropriately based on their expected mature spread.
- iv. If the geometry of the planting area does not conform to the spray pattern of the sprinkler, resulting in overspray onto the adjacent pavement, then overhead irrigation shall not be used.
- v. Plants shall be spaced so that at mature size they do not block sprinklers.
- vi. Turf shall not be planted on slopes steeper than 15%.
- vii. Turf shall not be planted in any medians or in areas narrower than 8'0".

B. Irrigation System:

The irrigation system design shall comply with the following requirements:

- i. Smart irrigation controller(s) using one of the below methods shall be required on all irrigation systems:
 - a. Daily evapotranspiration data
 - b. Daily soil moisture sensor data
- ii. Specify a dedicated landscape water meter for landscapes with an irrigated area greater than 2,500 square feet, or per retail water supplier regulations;
- iii. Recycled water shall be used for landscape irrigation if it is available at the project site;
- iv. Specify technology and practices to prevent runoff, low head drainage, overspray, or other water waste;

- v. Overhead irrigation shall not be permitted within 12" of any non-permeable surface.
- vi. Specify sprinkler heads and other emission devices that have matched precipitation rates within each irrigation zone. No irrigation zone shall specify a precipitation rate greater than 1.2 inches per hour. On slopes steeper than 25%, the specified precipitation rate shall not exceed 0.75 inches per hour.
- vii. Specify irrigation controls so the dynamic water pressure at sprinkler head or other emission device is within manufacturer's recommended optimal operating range.
- viii. No overhead irrigation shall be specified in planting areas less than 8'0" wide in any dimension.
- ix. Specify a manual shut-off valve for each point of connection and specify that each shut-off valve be identified on the controller map.
- x. Prepare a controller map and programming table and specify that this be stored in the controller cabinet. The controller map shall visually differentiate each controller zone. For each irrigation valve, the controller programming table shall list the plant water requirement (high, medium, low, or very low), the sun exposure, irrigation emission device type, precipitation rate, station flow rate, optimal pressure, soil type, infiltration rate, square foot area, and degree of slope.
- xi. Each irrigation valve shall control irrigation to only one distinct hydrozone. A hydrozone is an area with similar sun exposure, irrigation precipitation rate, soil conditions, slope, and plant material with similar water needs. Refer to the WUCOLS report for plant water needs.
- xii. Specify a separate irrigation valve and hydrozone for the top of a slope and the bottom of a slope.

C. Water Features:

- i. All water features shall have re-circulating water systems
- ii. Fountain(s) shall be designed so that no wind drift or overspray occurs

D. Grading and Soil Preparation:

The landscape design shall:

- i. Comply with Storm Water Control Plan requirements (C.3), if applicable;
- ii. Be designed to improve or maintain the infiltration rate of landscape soils typical of their soil texture and minimize soil erosion;
- iii. Be designed to avoid drainage onto non-permeable hardscapes within the property lines and prevent runoff of all irrigation and natural rainfall outside property lines;

- iv. Only specify soil amendments if appropriate for the selected plants;
- v. Specify a minimum two-inch layer of mulch shall be applied on all exposed soil surfaces of planting areas unless there is a horticultural reason not to use mulch in a portion of the planting area. Mulch, such as shredded bark, shall be specified in bioretention areas so that they will stay in place during rain events.

V. Landscape Plan Requirements

The Landscape plans shall demonstrate that all the water-efficient landscape standards have been met:

- A. The planting plan shall:
 - i. Identify Special Landscape Areas. Special Landscape Areas include: landscape dedicated solely to edible plants, such as vegetable gardens or orchards, areas irrigated with recycled water, water features using recycled water, cemeteries, and areas dedicated to active play, such as parks, sports fields, and golf courses where turf provides a playing surface;
 - ii. Identify plants by their common and botanical names;
 - iii. Identify type and surface area of water features.
- B. The irrigation plan shall:
 - i. Show the location and size of the landscape irrigation water meter;
 - ii. Show the location, type and size of all components of the irrigation system, including, but not limited to, controllers, main and lateral lines, valves, sprinkler heads, moisture sensing devices, rain switches, quick couplers, pressure regulators, and backflow prevention devices;
 - iii. Identify the static water pressure at the point of connection to the public water supply;
 - iv. Identify the flow rate (gallons per minute), application rate (inches per hour), and design operating pressure (pressure per square inch) for each station.
- C. Landscape plans shall include details and specifications reflecting the most recent acceptable best management practices for water-efficient landscape design. Include the planting detail for [Insert name of *Entity*].

VI. Landscape Water Audit Requirements

A landscape water audit shall be performed to ensure that the installed landscape meets the requirements of this Ordinance.

- A. A landscape water audit shall be conducted within thirty (30) days of the start of the landscape maintenance period or, if no maintenance period, then upon completion of the landscape installation. An EPA WaterSense certified Irrigation System Auditor shall conduct the landscape audit and submit a Certificate of Compliance, Landscape Water Audit sheet (Attachment D).
- B. The Landscape Auditor shall inform the applicant of all non-compliance issues with the Ordinance. This shall include, but not be limited to, all items listed on the Certificate of Compliance, Landscape Water Audit sheet (Attachment D).
- C. All non-compliance issues shall be repaired and the site shall be re-audited for compliance with the criteria of the Ordinance prior to final inspection/permit and final sign off.

VII. Certifications

Water Efficiency Landscape Checklist/Certification sheets will be part of the Landscape Rebate Application (LPA) requirements.

- A. The person(s) creating the landscape design shall complete the Certificate of Compliance, Landscape Design sheet (Attachment B) certifying the landscape has been designed to comply with the criteria of the Ordinance.
- B. The Landscape Contractor/installer shall complete the Certificate of Compliance, Landscape Installation sheet (Attachment C) certifying the landscape has been installed, as specified in the Landscape Plans, and complies with the criteria of the Ordinance.
- C. The Landscape Auditor shall complete the Landscape Certificate of Compliance, Water Audit sheet (Attachment D) certifying the landscape and irrigation system have been installed, as specified in the Landscape Plans, and comply with the criteria of the Ordinance.
- D. The Maintenance Contractor/Person shall complete the Certificate of Compliance, Landscape Maintenance sheet (Attachment E) certifying the landscape maintenance contractor agrees to manage the property using less water than the Maximum Applied Water Allowance.

VIII. Landscape and Irrigation Maintenance Schedule

The landscape designer or installer shall develop a landscape maintenance specification and schedule for the landscape project that is consistent with the most recent acceptable best management practices for landscape maintenance. Schedules shall be submitted with the Certification of Completion.

- A. An annual landscape maintenance schedule shall include at least the following: routine inspection; adjustment and repair of the irrigation system and its components; aerating turf areas; replenishing mulch; seasonal pruning; weeding in all landscape areas; and removing obstructions to emission devices;
- B. Repair of all irrigation equipment shall be done with the originally installed components or their equivalents;

- C. Project shall be irrigated so that total annual water applied is less than or equal to the Maximum Applied Water Allowance (MAWA) (if applicable).

IX. Stormwater Management

The proposed landscape shall comply with the requirements of the National Pollutant Discharge Elimination System intended to implement storm water best management practices into the planting, irrigation, and grading plans to minimize runoff and to increase on-site retention and infiltration.

X. Provisions for Existing Landscapes

This section applies to existing landscapes that were installed before [*Ordinance Effective date*].

A. Irrigation Survey and Irrigation Water Use Analysis

Each owner of property in [*insert name of Entity*] shall ensure the efficient use of landscape water and may utilize resources and services, such as irrigation surveys and landscape water use analysis that are offered by the local retail or wholesale water utility.

B. Water Waste Prevention

Each owner of property in [*insert name of Entity*] shall prevent water waste resulting from inefficient landscape irrigation by prohibiting runoff from the target landscape areas due to excessive irrigation run times, low head drainage, overspray, or other similar conditions where water flows onto an adjacent property, walks, roadways, parking lots, or structures.

XI. Public Education

- A. All new model homes that are landscaped shall use signs, brochures and other written information to demonstrate the principles of water-efficient landscapes that are described in this Ordinance.
- B. The architectural guidelines of a common interest development, which include homeowner associations, community apartment projects, condominiums, planned developments, and stock cooperatives, shall not prohibit conditions that have the effect of prohibiting the use of low water use plants as a group.
- C. For new homes/commercial developments, applicant/owner is required to provide the irrigation controller map and programming table and annual maintenance schedules to new tenants or owners at transfer of ownership/maintenance responsibility.

XII. Severability

If any section, subsection, provision or part of this Ordinance, or its application to any person or circumstance, is held to be unconstitutional or otherwise invalid, the remainder

of this Ordinance, and the application of such provision to other person or circumstances, shall not be affected thereby and shall remain in full force and effect and, to that end, the provisions of this Ordinance are severable.

XIII. Effective Date

This Ordinance shall become effective on _____, 2010.

INTRODUCED at a regular meeting of the [*City Council/Board of Directors/Board of Supervisors*] held on _____, 2010.

PASSED AND ADOPTED at a regular meeting of the [*City Council/Board of Directors/Board of Supervisors*] of the [*City of _____/District/County of _____*] held on _____, 2010, by the following vote:

AYES:

NOES:

ABSENT:

[MAYOR/PRESIDENT OF THE BOARD]

ATTEST:

[CITY CLERK/BOARD SECRETARY]

**PROJECT INFORMATION SHEET AND APPLICATION
FOR
REGIONAL LANDSCAPE WATER CONSERVATION
ORDINANCE**

Prior to receiving building or grading permit, applicant must submit a completed Landscape Project Application (LPA) demonstrating that the project complies with the [*insert name of Entity*] Regional Landscape Water Conservation Ordinance.

Fee: XXX

Application: Submit one (1) copy of the completed application to the [*insert name of department*]. Use the application that is on the back of this information sheet.

Documentation: Submit the LPA documentation as proof of compliance with Regional Landscape Water Conservation Ordinance.

Include the following in the documentation package:

1. Application
2. Certification of Compliance for Landscape Design
3. Certification of Compliance for Landscape Installation
4. Certification of Compliance for Landscape Audit
5. Certification of Compliance for Landscape Maintenance
6. Water Budget work sheets (if applicable)
7. Landscape Plans
8. Landscape and Maintenance Schedule

LANDSCAPE PROJECT APPLICATION

Complete all sections of this form. If you believe that an item does not apply to your project, mark it "N/A". Do not leave any blank spaces.

Application Information

Applicant Name: _____

Address: _____

Phone Number: _____ e-Mail: _____

Fax Number: _____

Property Owner Name: _____

Address: _____

Phone Number: _____ e-Mail: _____

Fax Number: _____

Project Description

Project Name: _____

Project Address, Parcel Number(s) and/or lot numbers: _____

Project Type: _____

Water Supply Type: _____

Total Landscape Area: _____

Total Rehabilitated Landscape Area: _____

Signature

I certify under penalty of perjury that I am the (check one)

- ☐ Legal owner (all individuals must sign as their names appear on the deed to the land), OR
- ☐ Owner's legal Agent, and that the foregoing is true and correct. (Please submit an authorization letter from legal owner).

Signature

Date

Signature

Date

Certificate of Compliance Landscape Design

Project Name: _____ Project Address/ Parcel No.: _____

Applicant Name: _____ Applicant Address: _____

Project Area Measurements

Total turf area: _____ square feet

Total non-turf landscape area: _____ square feet

Total water feature area: _____ square feet

- ☐ Landscape design has zero (0) square feet of turf that is not specified as "special landscape area" and has water feature(s) with total surface area > 100 square feet

OR

- ☐ Landscape design includes: 1) turf that is not specified as "special landscape area"; or 2) water feature(s) with > 100 square feet of total surface area. If this box is checked, applicant must prepare a site-specific water budget to demonstrate that the landscape is designed to use less than the Maximum Applied Water Allowance. Complete Water Allowance Work Sheets (Attachment F) of the Regional Landscape Water Conservation Ordinance.

Landscape Design Requirements:

- ☐ Design incorporates most recent acceptable best management practices for water-efficient landscape design
- ☐ Submit landscape plans, including planting, irrigation, and installation details
- ☐ Plants selected are well suited to the local climate and soil conditions
- ☐ Plants are spaced appropriately based on their expected mature size
- ☐ Overhead irrigation not used if irrigation results in overspray
- ☐ Plants are spaced so at mature size they do not block sprinklers
- ☐ Distinct hydrozones are irrigated separately by one or more irrigation valves
- ☐ No turf is specified in medians, areas narrower than eight feet, or on slopes greater than 15%
- ☐ Plan specifies smart irrigation controller(s) utilizing ET or soil moisture sensors
- ☐ Plan specifies separate water meter(s) for landscape irrigation per the retail water supplier regulations
- ☐ Recycled water is used if available
- ☐ Technology and practices are incorporated to prevent run-off, low head drainage and overspray
- ☐ No overhead irrigation is specified within 12 inches of any non-permeable surface
- ☐ Sprinkler stations have matched precipitation rates for each irrigation zone with a maximum precipitation rate of 1.2 inches per hour ("hr) or 0.7"/hr for all slopes of 25% or greater
- ☐ Irrigation controls are specified to maintain dynamic water pressure at sprinkler heads and other emission devices within manufacturer's specifications
- ☐ No overhead irrigation is specified in areas less than eight feet wide in any direction
- ☐ Manual shutoff valves are specified at each point of connection
- ☐ Irrigation plan includes or specifies that controller map(s) and programming table(s) shall be placed in all irrigation controller cabinets
- ☐ Plan specifies a separate irrigation valve and hydrozone for the top of a slope and bottom of a slope
- ☐ A re-circulation system has been specified for all water features
- ☐ Fountain(s) is designed and nozzles are specified so that no wind drift or overspray will occur
- ☐ Design complies with Storm Water Control Plan requirements
- ☐ Design minimizes any soil erosion from construction activities and maintains or improves the landscape soil's infiltration rate
- ☐ Design to avoid drainage onto non-permeable hardscapes within the project and prevent runoff of irrigation and rainfall outside property lines
- ☐ Only specify soil amendments that are appropriate for the selected plants
- ☐ Plan specifies a minimum of 2 inches of mulch specified for all exposed soil surfaces in non-turf planting areas

I/we certify that the landscape plans for the above-listed project comply with the Water-Efficient Landscape Standards and Landscape Plan Requirements of the (ENTITY NAME) Regional Landscape Water Conservation Ordinance.

Designer's Name

Company Name

Date

Address

Telephone

Email

Professional License Number

Professional Stamp

Certificate of Compliance Landscape Installation

Project Name: _____ Project Address/ Parcel No.: _____

Applicant Name: _____ Applicant Address: _____

- ☐ Installed Project Area Measurements match those of the Landscape Design Plans
- ☐ Plant material is the same as that specified in the plans and any substitutes are determined to be equivalent or less in water need, per *Water Use Classification of Landscape Species* (WUCOLS)
- ☐ Installation incorporates most recent acceptable best management practices for water-efficient landscape design
- ☐ Any plant substitutes used are well suited to the local climate and soil conditions
- ☐ All plants are located per the design plans
- ☐ Irrigation hydrozones are the same as plans and any field-adjusted irrigation zones were installed so that distinct hydrozones are irrigated separately by one or more irrigation valves
- ☐ No turf is installed in medians, areas narrower than eight feet, or on slopes greater than 15%
- ☐ All irrigation equipment is the same as specified, and any substitutes are equivalent
- ☐ Automatic irrigation controller(s) installed utilize ET or soil moisture sensors
- ☐ Point of Connection (POC) is the same as specified in plans
- ☐ System has been installed and tested to prevent run-off, low head drainage, and overspray
- ☐ No overhead irrigation is installed within 12 inches of any non-permeable surface
- ☐ Sprinkler stations have matched precipitation rates for each irrigation zone, with a maximum precipitation rate of 1.2 inches per hour ("hr) or 0.7"/hr for all slopes of 25% or greater
- ☐ No overhead irrigation is installed in areas less than eight feet wide in any direction
- ☐ Manual shutoff valves are specified at each POC
- ☐ A controller map and programming table were placed in all irrigation controller cabinets
- ☐ Separate irrigation valves were installed and hydrozones created for the top of a slope and bottom of a slope
- ☐ All water features have functioning re-circulating water systems
- ☐ Fountain(s) and their nozzles are installed so that no wind drift or overspray will occur
- ☐ Installation complies with Storm Water Control Plan requirements
- ☐ Installation work minimized any soil erosion and maintained or improved the landscape soil's infiltration rate
- ☐ Installation avoids drainage onto non-permeable hardscapes within the project and prevents run-off of irrigation and rainfall outside property lines
- ☐ Only specified soil amendments that are appropriate for the selected plants were used
- ☐ A minimum of 2 inches of mulch was applied to all exposed soil surfaces in non-turf planting areas

I/we certify that the landscape has been installed as specified in the landscape plans for the above-listed project to comply with the Water-Efficient Landscape Standards and Landscape Plan Requirements of the (ENTITY NAME) Regional Landscape Water Conservation Ordinance.

Installer's Name

Company Name

Date

Address

Telephone

Email

Professional License Number

Professional Stamp

Certificate of Compliance Landscape Water Audit

Project Name: _____ Project Address/ Parcel No.: _____

Applicant Name: _____ Applicant Address: _____

- ☐ Installed Project Areas match those of the Landscape Design Plans
- ☐ Plant material is the same as that specified on the plans, with any plant material substitutes being equivalent or less in water need, per *Water Use Classification of Landscape Species* (WUCOLS)
- ☐ Project has incorporated most recent acceptable best management practices for water-efficient landscape design
- ☐ Plants used are well suited to the local climate and soil conditions
- ☐ Plants are spaced appropriately based on their expected mature size
- ☐ Overhead irrigation was not used where it would result in overspray
- ☐ Plants are spaced so at mature size they do not block sprinklers
- ☐ Distinct hydrozones are irrigated separately by one or more irrigation valves
- ☐ No turf is planted in medians, areas narrower than eight feet, or on slopes greater than 15%
- ☐ Smart irrigation controller(s) utilizing ET or soil moisture sensors are installed
- ☐ Point of Connection (POC) is same as specified in plans
- ☐ Recycled water is used, if available
- ☐ Irrigation system has no run-off, low head drainage, and overspray
- ☐ No overhead irrigation is installed within 12 inches of any non-permeable surface
- ☐ Sprinkler stations have matched precipitation rates for each irrigation zone, with a maximum precipitation rate of 1.2 inches per hour ("hr) or 0.7"/hr for all slopes of 25% or greater
- ☐ Dynamic water pressure at sprinkler heads and other emission devices is within manufacturer's specifications
- ☐ No overhead irrigation is installed in areas less than eight feet wide in any direction
- ☐ Manual shutoff valves are installed at each POC
- ☐ Controller map(s) and programming table(s) are in all irrigation controller cabinets
- ☐ Separate irrigation valves are installed for the top of a slope and bottom of a slope, and designated as separate hydrozones
- ☐ A re-circulation system has been installed for all water features
- ☐ Fountain(s) and their nozzles have no wind drift or overspray
- ☐ Project complies with Storm Water Control Plan requirements
- ☐ Site's landscape soils infiltration rate is the same as or better than native soil of area
- ☐ Project does not drain onto non-permeable hardscapes within the project, and no run-off of irrigation and rainfall can occur outside property lines
- ☐ Only specified soil amendments that are appropriate for the selected plants were used on project
- ☐ A minimum of 2 inches of mulch is installed for all exposed soil surfaces in non-turf planting areas

I/we certify that the landscape for the above-listed project complies with the Water-Efficient Landscape Standards of the (ENTITY NAME) Regional Landscape Water Conservation Ordinance.

Auditor's Name

Company Name

Date

Address

Telephone

Email

Certification Number

Professional Stamp

Certificate of Compliance Landscape Maintenance

Project Name: _____ Project Address/ Parcel No.: _____

Applicant Name: _____ Applicant Address: _____

- ☐ Changes in total landscape area shall be reported to the local water utility
- ☐ Maintenance practices incorporate most recent acceptable best management practices for water-efficient landscape maintenance
- ☐ Plants selected for replanting are well suited to the local climate and soil conditions
- ☐ Plants for replanting are spaced appropriately based on their expected mature size
- ☐ Any changes to overhead irrigation do not result in overspray
- ☐ Replacement plants are spaced so at mature size they do not block sprinklers
- ☐ Changes to irrigation system or plant material shall maintain distinct hydrozones that are irrigated separately by one or more irrigation valves
- ☐ Medians, areas narrower than eight feet, or on slopes greater than 15%, shall not be replanted in turf
- ☐ Smart irrigation controller(s) utilizing ET or soil moisture sensors are in the ET or sensor mode
- ☐ Any irrigation change shall not be connected to the domestic meter
- ☐ Maintenance practices are incorporated to prevent run-off, low head drainage, and overspray
- ☐ No overhead irrigation can be moved within 12 inches of any non-permeable surface
- ☐ Sprinkler stations have matched precipitation rates for each irrigation zone with a maximum precipitation rate of 1.2 inches per hour ("hr) or 0.7"/hr for all slopes of 25% or greater
- ☐ Irrigation controls are used to maintain dynamic water pressure at sprinkler heads and other emission devices within manufacturer's specifications
- ☐ No overhead irrigation is used in areas less than eight feet wide in any direction
- ☐ Manual shutoff valves are maintained at each point of connection
- ☐ A copy of the controller map(s) and programming table(s) are kept in all irrigation controller cabinets
- ☐ Separate irrigation valves and hydrozones are maintained for the top of a slope and bottom of a slope
- ☐ Re-circulation system(s) is maintained for all water features
- ☐ Fountain(s) and their nozzles are maintained so that no wind drift or overspray will occur
- ☐ Maintenance practices comply with Storm Water Control Plan requirements
- ☐ Infiltration rates for site's landscape soils are maintained or improved with site maintenance practices
- ☐ Site is maintained to avoid drainage onto non-permeable hardscapes within the project and prevent run-off of irrigation and rainfall outside property lines
- ☐ Only use soil amendments that are appropriate for any replacement plants
- ☐ Maintain a minimum of 2 inches of mulch for all exposed soil surfaces in non-turf planting areas

I/we certify that the landscape maintenance for the above-listed project will comply with the Water-Efficient Landscape Standards of the (ENTITY NAME) Regional Landscape Water Conservation Ordinance and the Landscape Maintenance Schedule created for this project.

Designer's Name

Company Name

Date

Address

Telephone

Email

Professional License Number

Professional Stamp

Water Allowance Work Sheets

Water Allowance Work Sheets are used to calculate water use in the form of Maximum Applied Water Allowance (MAWA) and Estimated Total Water Use (ETWU) for the landscape project.

These sheets are required if the project has turf or other high water use plants not qualified as a 'Special Landscape Area' or has water feature(s) with more than one hundred (100) total square feet of surface area. This is referred to as Option B of the Landscape Project Application Requirements of the Regional Landscape Water Conservation Ordinance.

"Special Landscape Area" is defined as an area of the landscape dedicated solely to edible plants, areas irrigated with recycled water, water features using recycled water, and areas dedicated to active play, such as parks, sports fields, and golf courses where turf provides a playing surface.

The ETWU for the project can not exceed the MAWA for the project.

Calculate the MAWA for the project using the below formula and Factors:

$$\text{MAWA} = (\text{ETo}) (0.62) [(0.7 \times \text{LA}) + (0.3 \times \text{SLA})]$$

Where:

MAWA	=	Maximum Applied Water Allowance (gallons per year)
ETo	=	Reference Evapotranspiration (inches per year)
0.62	=	Conversion Factor (to gallons)
0.7	=	ET Adjustment Factor (ETAF)
LA	=	Landscape Area including SLA (square feet)
0.3	=	Additional Water Allowance Factor for SLA
SLA	=	Special Landscape Area (square feet)

Step one: Multiple total project landscape area by 0.7, the ET Adjustment Factor

LA	Multiply	0.7	Equals	0.7 x LA
	x		=	

Step two: Multiple total Special Landscape Area by 0.3, the Additional Water Allowance Factor

SLA	Multiply	0.3	Equals	0.3 x SLA
	x		=	

Step 3: Add Adjusted LA and adjusted SLA Water Allowances

0.7 x LA	Plus	0.3 x SLA	Equals	0.7 x LA + 0.3 SLA
	+		=	

Step four: Multiple Reference Evapotranspiration by the conversion factor and Total Adjusted Water Allowance

ETo	Multiply	Conversion factor	Multiply	0.7 x LA + 0.3 x SLA	Equals	MAWA
	x	0.62	x		=	

Calculate the ETWU for the project using the below formula and Factors. A Hydrozone Table will need to be completed prior to completing the ETWU calculation, to determine the total area by hydrozone type.

$$ETWU = (ETo)(0.62) \left(\frac{PF \times HA}{0.71} + SLA \right)$$

Where:

ETWU	=	Estimated Total Water Use per year (gallons)
ETo	=	Reference Evapotranspiration (inches)
PF	=	Plant Factor (see Definitions)
HA	=	Hydrozone Area [high, medium, low and very low water use areas] (square feet)
SLA	=	Special Landscape Area (square feet)
0.62	=	Conversion Factor
0.71	=	Irrigation Efficiency

Step one: Multiple the Plant Factor by the total area of that plant water need category

Plant Factor	Multiply	Total Hydrozone Area	Equals	PF x HA
High (0.8)	x		=	
Medium (0.5)	x		=	
Low (0.3)	x		=	
Very Low (0.1)	x		=	

Step two: Add up the Total Adjusted Hydrozone Allowances

High PF x HA	Plus	Medium PF x HA	Plus	Low PF x HA	Plus	Very Low PF x HA	Equals	Total PF x HA
	+		+		+		=	

Step three: Divide the Total Adjusted Hydrozone Allowance by 0.71, minimum Irrigation Efficiency

Total PF x HA	Divided by	Irrigation Efficiency	Equals	Total PF x HA / 0.71
	/	0.71	=	

Step four: Add the SLA Area to the total (PF x HA / 0.71)

Total PF x HA / 0.71	Plus	Total Special Landscape Area	Equals	Total PF x HA / 0.71 + SLA
	+		=	

Step five: Multiply the yearly ETo times the Conversion Factor times the total (PF x HA / 0.71 + SLA)

Yearly ETo	Multiple	Conversion Factor	Multiple	PF x HA / 0.71 + SLA	Equals	ETWU (must be equal to or lower than the MAWA)
	x	0.62	x		=	

Record Project's square footage, by station number, on the Hydrozone Table, under the correct category. Use WUCOLS to determine the correct hydrozone category for the plants watered by each irrigation valve. Use the highest water needing plant irrigated by a valve to set that valve's water need category.

Hydrozone Table

Station Number	High Water Needs (sq. Ft.)	Medium Water Needs (Sq. Ft.)	Low Water Needs (Sq. Ft.)	Very Low Water Needs (Sq. Ft.)	Special Landscape Area (Sq. Ft.)
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
Totals					

Definitions for Regional Landscape Water Conservation Ordinance

- A. **Applicant** means the individual or entity submitting a Landscape Project Application (LPA) required under Section III, to request a permit, plan check, or design review from the local agency, or requesting new or expanded water service from the water district. A project applicant may be the property owner or his or her designee.
- B. **Applied water** means the portion of water supplied by the irrigation system to the landscape.
- C. **Backflow prevention device** means a safety device used to prevent pollution or contamination of the water supply due to the reverse flow of water from the irrigation system.
- D. **Certified irrigation system auditor** means a person certified by the US Environmental Protection Agency's WaterSense Irrigation Partners Program.
- E. **Conversion factor (0.62)** means the number that converts acre-inches per acre per year to gallons per square foot per year.
- F. **Emission Device** means any device that is contained within an irrigation system that is used to apply water. Common emission devices in an irrigation system include, but are not limited to, spray and rotary sprinkler heads, bubblers, and drip irrigation emitters.
- G. **Estimated Total Water Use (ETWU)** means the estimated total water used for the landscape, as described in the Water Allowance Work Sheet (Attachment F).
- H. **ET adjustment factor (ETAF)**
 - i. Means a factor, that, when applied to reference evapotranspiration, adjusts for plant factors and irrigation efficiency, two major influences upon the amount of water that needs to be applied to the landscape.
 - ii. When applied to reference evapotranspiration establishes the upper limit (Maximum Allowable Water Allowance) of the amount of water that can be applied through the irrigation system to sustain the landscape. The ETAF shall be 0.7 for all landscape areas except Special Landscape Areas where the ETAF shall be 1.0.
- I. **ET_o** stands for Reference Evapotranspiration, and means the water loss from a large field of 4-7 inch-tall, cool-season grass that is not water stressed. Local ET_o numbers can be found through the California Irrigation Management Information System (CIMIS).

- J. **Evapotranspiration** means the combination of water transpired from plants and evaporated from the soil and plant surfaces.
- K. **Flow rate** means the rate at which water flows through pipes, valves, and emission devices, measured in gallons per minute, gallons per hour, or cubic feet per second.
- L. **Geometry** means the size, shape, and angles of an area.
- M. **Hardscape** means any durable material (pervious and non-pervious).
- N. **Hydrozone** means a portion of the landscaped area having plants with similar water needs. This ordinance uses the publication *Water Use Classification of Landscape Species* (WUCOLS) to determine a plant's water needs. A hydrozone may be irrigated or non-irrigated.
- O. **Landscape water audit** means an in-depth evaluation of the installed landscape to verify the landscape complies with the Water-Efficient Landscape Standards of the [insert name of Entity] Regional Landscape Water Conservation Ordinance, an acceptable evaluation report completes the Certificate of Compliance for a Landscape Water Audit.
- P. **Irrigation efficiency (IE)** means the measurement of the amount of water beneficially used divided by the amount of water applied. Irrigation efficiency is derived from measurements and estimates of irrigation system characteristics and management practices. The irrigation efficiency for purposes of this Ordinance is 71%. Greater irrigation efficiency can be expected from well-designed and well-maintained systems.
- Q. **Irrigation survey** means an evaluation of an irrigation system that is less detailed than an irrigation audit. An irrigation survey includes, but is not limited to, inspection, system test, and recommendations to improve performance of the irrigation system.
- R. **Irrigation water use analysis** means an analysis of water use data based on meter readings and billing data.
- S. **Landscape area** means all the planting areas, turf areas, and water features in a landscape design plan subject to the Maximum Applied Water Allowance calculation. The landscape area does not include footprints of buildings or structures, sidewalks, driveways, parking lots, decks, patios, gravel, or stone walks, or other pervious or non-pervious hardscapes, and other non-irrigated areas designated for non-development (e.g., open spaces and existing native vegetation).
- T. **Landscape contractor** means a person licensed by the State of California to construct, maintain, repair, install, or subcontract the development of landscape systems.
- U. **Lateral line** means the water delivery pipeline that supplies water to the emitters or sprinklers from the valve.

- V. **Maximum Applied Water Allowance (MAWA)** means the upper limit of annual applied water for the established landscaped area, as specified in the "Water Allowance Work Sheets" (Attachment F).
- W. **Medians** mean any planting area that separates opposing traffic lane on streets and parking areas in parking lots
- X. **Mulch** means any organic material, such as leaves, bark, straw, or compost; or inorganic mineral materials, such as rocks, gravel, and decomposed granite left loose and applied to the soil surface for the beneficial purposes of reducing evaporation, suppressing weeds, moderating soil temperature, and preventing soil erosion.
- Y. **Non-Permeable** means any surface or material that will not allow the passage of water through that surface or material and into the underlying soil at a rate that ensures run-off will not occur.
- Z. **Operating pressure** means the pressure at which the parts of an irrigation system are designed by the manufacturer to operate.
- AA. **Overhead irrigation** means systems that deliver water through the air (e.g., sprayheads and rotors).
- BB. **Overspray** means the irrigation water that is delivered beyond the target area.
- CC. **Permit** means an authorizing document issued by local agencies for new construction or rehabilitated landscapes.
- DD. **Plant factor** or **plant water use factor** is a factor that, when multiplied by ETo, estimates the amount of water needed by plants. The plant factors for this Ordinance are from the WUCOLS publication.
- EE. **Precipitation rate** for this ordinance means the rate of application of water measured in inches per hour.
- FF. **Project** means the total area comprising the landscape area, as defined in this Ordinance.
- GG. **Rain switch** or **rain sensing shutoff device** means a component that automatically suspends an irrigation event when it rains.
- HH. **Reference evapotranspiration** or **ETo** means a standard measurement of environmental parameters that affect the water use of plants.
- II. **Rehabilitated landscape** means any re-landscaping project that requires a permit, plan check, or design review, or requires a new or expanded water service application.
- JJ. **Retail water supplier** means any entity, including a public agency, city, county, district or private water company that provides retail water service.
- KK. **Runoff** means water that is not absorbed by the soil or landscape to which it is applied and that flows from the landscape area.

- LL. **Smart irrigation controllers** means controllers using weather information or soil moisture readings along with site information to automatically adjust the irrigation schedule on a daily basis.
- MM. **Soil moisture sensor** or **soil moisture sensing device** means a device that measures the amount of water in the soil. The device may also suspend or initiate an irrigation event.
- NN. **Special Landscape Area (SLA)** means an area of the landscape dedicated solely to edible plants, such as vegetable gardens or orchards, areas irrigated with recycled water, water features using recycled water, cemeteries, and areas dedicated to active play, such as parks, sports fields, and golf courses where turf provides a playing surface.
- OO. **Sprinkler head** means a device that delivers water through a nozzle.
- PP. **Station** means an area served by one valve or by a set of valves that operate simultaneously.
- QQ. **Turf** means a ground cover surface of mowed grass. Kentucky bluegrass, Perennial ryegrass, Red fescue, and Tall fescue are examples of cool-season grasses. Bermuda grass, Kikuyu grass, Seashore Paspalum, St. Augustine grass, Zoysia grass, and Buffalo grass are examples of warm-season grasses.
- RR. **Valve** means a device used to control the flow of water in the irrigation system.
- SS. **Water feature** means a design element where open water performs an aesthetic or recreational function. Water features include ponds, lakes, waterfalls, fountains, artificial streams, spas, and swimming pools (where water is artificially supplied).
- TT. **WUCOLS** means the *Water Use Classification of Landscape Species*, published by the University of California Cooperative Extension, the Department of Water Resources, and the Bureau of Reclamation, 2000. (WUCOLS) report is available at <http://www.water.ca.gov/wateruseefficiency/publications/>. Search for WUCOLS, and then go to Part 2 WUCOLS III* 1999 Edition, Introduction

**Model Water Efficient Landscape Ordinance
September 10, 2009**

California Code of Regulations
Title 23. Waters
Division 2. Department of Water Resources
Chapter 2.7. Model Water Efficient Landscape Ordinance

§ 490. Purpose.

(a) The State Legislature has found:

- (1) that the waters of the state are of limited supply and are subject to ever increasing demands;
- (2) that the continuation of California's economic prosperity is dependent on the availability of adequate supplies of water for future uses;
- (3) that it is the policy of the State to promote the conservation and efficient use of water and to prevent the waste of this valuable resource;
- (4) that landscapes are essential to the quality of life in California by providing areas for active and passive recreation and as an enhancement to the environment by cleaning air and water, preventing erosion, offering fire protection, and replacing ecosystems lost to development; and
- (5) that landscape design, installation, maintenance and management can and should be water efficient; and
- (6) that Section 2 of Article X of the California Constitution specifies that the right to use water is limited to the amount reasonably required for the beneficial use to be served and the right does not and shall not extend to waste or unreasonable method of use.

(b) Consistent with these legislative findings, the purpose of this model ordinance is to:

- (1) promote the values and benefits of landscapes while recognizing the need to invest water and other resources as efficiently as possible;
- (2) establish a structure for planning, designing, installing, maintaining and managing water efficient landscapes in new construction and rehabilitated projects;
- (3) establish provisions for water management practices and water waste prevention for existing landscapes;
- (4) use water efficiently without waste by setting a Maximum Applied Water Allowance as an upper limit for water use and reduce water use to the lowest practical amount;
- (5) promote the benefits of consistent landscape ordinances with neighboring local and regional agencies;
- (6) encourage local agencies and water purveyors to use economic incentives that promote the efficient use of water, such as implementing a tiered-rate structure; and
- (7) encourage local agencies to designate the necessary authority that implements and enforces the provisions of the Model Water Efficient Landscape Ordinance or its local landscape ordinance.

Note: Authority cited: Section 65593, Government Code. Reference: Sections 65591, 65593, 65596, Government Code.

§ 490.1 Applicability

(a) After January 1, 2010, this ordinance shall apply to all of the following landscape projects:

- (1) new construction and rehabilitated landscapes for public agency projects and private development projects with a landscape area equal to or greater than 2,500 square feet requiring a building or landscape permit, plan check or design review;
- (2) new construction and rehabilitated landscapes which are developer-installed in single-family and multi-family projects with a landscape area equal to or greater than 2,500 square feet requiring a building or landscape permit, plan check, or design review;

(3) new construction landscapes which are homeowner-provided and/or homeowner-hired in single-family and multi-family residential projects with a total project landscape area equal to or greater than 5,000 square feet requiring a building or landscape permit, plan check or design review;

(4) existing landscapes limited to Sections 493, 493.1 and 493.2; and

(5) cemeteries. Recognizing the special landscape management needs of cemeteries, new and rehabilitated cemeteries are limited to Sections 492.4, 492.11 and 492.12; and existing cemeteries are limited to Sections 493, 493.1 and 493.2.

(b) This ordinance does not apply to:

(1) registered local, state or federal historical sites;

(2) ecological restoration projects that do not require a permanent irrigation system;

(3) mined-land reclamation projects that do not require a permanent irrigation system; or

(4) plant collections, as part of botanical gardens and arboreturns open to the public.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 491. Definitions.

The terms used in this ordinance have the meaning set forth below:

(a) "applied water" means the portion of water supplied by the irrigation system to the landscape.

(b) "automatic irrigation controller" means an automatic timing device used to remotely control valves that operate an irrigation system. Automatic irrigation controllers schedule irrigation events using either evapotranspiration (weather-based) or soil moisture data.

(c) "backflow prevention device" means a safety device used to prevent pollution or contamination of the water supply due to the reverse flow of water from the irrigation system.

"Certificate of Completion" means the document required under Section 492.9.

"certified irrigation designer" means a person certified to design irrigation systems by an accredited academic institution a professional trade organization or other program such as the US Environmental Protection Agency's WaterSense irrigation designer certification program and Irrigation Association's Certified Irrigation Designer program.

(f) "certified landscape irrigation auditor" means a person certified to perform landscape irrigation audits by an accredited academic institution, a professional trade organization or other program such as the US Environmental Protection Agency's WaterSense irrigation auditor certification program and Irrigation Association's Certified Landscape Irrigation Auditor program.

(g) "check valve" or "anti-drain valve" means a valve located under a sprinkler head, or other location in the irrigation system, to hold water in the system to prevent drainage from sprinkler heads when the sprinkler is off.

(h) "common interest developments" means community apartment projects, condominium projects, planned developments, and stock cooperatives per Civil Code Section 1351.

(i) "conversion factor (0.62)" means the number that converts acre-inches per acre per year to gallons per square foot per year

(j) "drip irrigation" means any non-spray low volume irrigation system utilizing emission devices with a flow rate measured in gallons per hour. Low volume irrigation systems are specifically designed to apply small volumes of water slowly at or near the root zone of plants.

(k) "ecological restoration project" means a project where the site is intentionally altered to establish a defined, indigenous, historic ecosystem.

(l) "effective precipitation" or "usable rainfall" (Eppt) means the portion of total precipitation which becomes available for plant growth.

"emitter" means a drip irrigation emission device that delivers water slowly from the system to the soil.

(n) "established landscape" means the point at which plants in the landscape have developed significant root growth into the soil. Typically, most plants are established after one or two years of growth.

(o) "establishment period of the plants" means the first year after installing the plant in the landscape or the first two years if irrigation will be terminated after establishment. Typically, most plants are established after one or two years of growth.

(p) "Estimated Total Water Use" (ETWU) means the total water used for the landscape as described in Section 492.4.

(q) "ET adjustment factor" (ETAF) means a factor of 0.7, that, when applied to reference evapotranspiration, adjusts for plant factors and irrigation efficiency, two major influences upon the amount of water that needs to be applied to the landscape.

A combined plant mix with a site-wide average of 0.5 is the basis of the plant factor portion of this calculation. For purposes of the ETAF, the average irrigation efficiency is 0.71. Therefore, the ET Adjustment Factor is $(0.7) = (0.5/0.71)$. ETAF for a Special Landscape Area shall not exceed 1.0. ETAF for existing non-rehabilitated landscapes is 0.8.

(r) "evapotranspiration rate" means the quantity of water evaporated from adjacent soil and other surfaces and transpired by plants during a specified time.

(s) "flow rate" means the rate at which water flows through pipes, valves and emission devices, measured in gallons per minute, gallons per hour, or cubic feet per second.

(t) "hardscapes" means any durable material (pervious and non-pervious).

(u) "homeowner-provided landscaping" means any landscaping either installed by a private individual for a single family residence or installed by a licensed contractor hired by a homeowner. A homeowner, for purposes of this ordinance, is a person who occupies the dwelling he or she owns. This excludes speculative homes, which are not owner-occupied dwellings.

(v) "hydrozone" means a portion of the landscaped area having plants with similar water needs. A hydrozone may be irrigated or non-irrigated.

(w) "infiltration rate" means the rate of water entry into the soil expressed as a depth of water per unit of time (e.g., inches per hour).

(x) "invasive plant species" means species of plants not historically found in California that spread outside cultivated areas and can damage environmental or economic resources. Invasive species may be regulated by county agricultural agencies as noxious species. "Noxious weeds" means any weed designated by the Weed Control Regulations in the Weed Control Act and identified on a Regional District noxious weed control list. Lists of invasive plants are maintained at the California Invasive Plant Inventory and USDA invasive and noxious weeds database.

(y) "irrigation audit" means an in-depth evaluation of the performance of an irrigation system conducted by a Certified Landscape Irrigation Auditor. An irrigation audit includes, but is not limited to: inspection, system tune-up, system test with distribution uniformity or emission uniformity, reporting overspray or runoff that causes overland flow, and preparation of an irrigation schedule.

(z) "irrigation efficiency" (IE) means the measurement of the amount of water beneficially used divided by the amount of water applied. Irrigation efficiency is derived from measurements and estimates of irrigation system characteristics and management practices. The minimum average irrigation efficiency for purposes of this ordinance is 0.71. Greater irrigation efficiency can be expected from well designed and maintained systems.

(aa) "irrigation survey" means an evaluation of an irrigation system that is less detailed than an irrigation audit. An irrigation survey includes, but is not limited to: inspection, system test, and written recommendations to improve performance of the irrigation system.

(bb) "irrigation water use analysis" means an analysis of water use data based on meter readings and billing data.

(cc) "landscape architect" means a person who holds a license to practice landscape architecture in the state of California Business and Professions Code, Section 5615.

(dd) "landscape area" means all the planting areas, turf areas, and water features in a landscape design plan subject to the Maximum Applied Water Allowance calculation. The landscape area does not include footprints of buildings or structures, sidewalks, driveways, parking lots, decks, patios, gravel or

- one walks, other pervious or non-pervious hardscapes, and other non-irrigated areas designated for non-development (e.g., open spaces and existing native vegetation).
- (ee) "landscape contractor" means a person licensed by the state of California to construct, maintain, repair, install, or subcontract the development of landscape systems.
- (ff) "Landscape Documentation Package" means the documents required under Section 492.3.
- (gg) "landscape project" means total area of landscape in a project as defined in "landscape area" for the purposes of this ordinance, meeting requirements under Section 490.1.
- (hh) "lateral line" means the water delivery pipeline that supplies water to the emitters or sprinklers from the valve.
- (ii) "local agency" means a city or county, including a charter city or charter county, that is responsible for adopting and implementing the ordinance. The local agency is also responsible for the enforcement of this ordinance, including but not limited to, approval of a permit and plan check or design review of a project.
- (jj) "local water purveyor" means any entity, including a public agency, city, county, or private water company that provides retail water service.
- (kk) "low volume irrigation" means the application of irrigation water at low pressure through a system of tubing or lateral lines and low-volume emitters such as drip, drip lines, and bubblers. Low volume irrigation systems are specifically designed to apply small volumes of water slowly at or near the root zone of plants.
- (ll) "main line" means the pressurized pipeline that delivers water from the water source to the valve or outlet.
- (mm) "Maximum Applied Water Allowance" (MAWA) means the upper limit of annual applied water for the established landscaped area as specified in Section 492.4. It is based upon the area's reference evapotranspiration, the ET Adjustment Factor, and the size of the landscape area. The Estimated Total Water Use shall not exceed the Maximum Applied Water Allowance. Special Landscape Areas, including recreation areas, areas permanently and solely dedicated to edible plants such as orchards and vegetable gardens, and areas irrigated with recycled water are subject to the MAWA with an ETAF not to exceed 1.0.
- (nn) "microclimate" means the climate of a small, specific area that may contrast with the climate of the overall landscape area due to factors such as wind, sun exposure, plant density, or proximity to reflective surfaces.
- (oo) "mined-land reclamation projects" means any surface mining operation with a reclamation plan approved in accordance with the Surface Mining and Reclamation Act of 1975.
- (pp) "mulch" means any organic material such as leaves, bark, straw, compost, or inorganic mineral materials such as rocks, gravel, and decomposed granite left loose and applied to the soil surface for the beneficial purposes of reducing evaporation, suppressing weeds, moderating soil temperature, and preventing soil erosion.
- (qq) "new construction" means, for the purposes of this ordinance, a new building with a landscape or other new landscape, such as a park, playground, or greenbelt without an associated building.
- (rr) "operating pressure" means the pressure at which the parts of an irrigation system are designed by the manufacturer to operate.
- (ss) "overhead sprinkler irrigation systems" means systems that deliver water through the air (e.g., spray heads and rotors).
- (tt) "overspray" means the irrigation water which is delivered beyond the target area.
- (uu) "permit" means an authorizing document issued by local agencies for new construction or rehabilitated landscapes.
- "pervious" means any surface or material that allows the passage of water through the material and into the underlying soil.
- (ww) "plant factor" or "plant water use factor" is a factor, when multiplied by ETo, estimates the amount of water needed by plants. For purposes of this ordinance, the plant factor range for low water

use plants is 0 to 0.3, the plant factor range for moderate water use plants is 0.4 to 0.6, and the plant factor range for high water use plants is 0.7 to 1.0. Plant factors cited in this ordinance are derived from the Department of Water Resources 2000 publication "Water Use Classification of Landscape Species".

(xx) "precipitation rate" means the rate of application of water measured in inches per hour.

(yy) "project applicant" means the individual or entity submitting a Landscape Documentation Package required under Section 492.3, to request a permit, plan check, or design review from the local agency. A project applicant may be the property owner or his or her designee.

(zz) "rain sensor" or "rain sensing shutoff device" means a component which automatically suspends an irrigation event when it rains.

(aaa) "record drawing" or "as-builts" means a set of reproducible drawings which show significant changes in the work made during construction and which are usually based on drawings marked up in the field and other data furnished by the contractor.

(bbb) "recreational area" means areas dedicated to active play such as parks, sports fields, and golf courses where turf provides a playing surface.

(ccc) "recycled water", "reclaimed water", or "treated sewage effluent water" means treated or recycled waste water of a quality suitable for non-potable uses such as landscape irrigation and water features. This water is not intended for human consumption.

(ddd) "reference evapotranspiration" or "ET_o" means a standard measurement of environmental parameters which affect the water use of plants. ET_o is expressed in inches per day, month, or year as represented in Section 495.1, and is an estimate of the evapotranspiration of a large field of four- to seven-inch tall, cool-season grass that is well watered. Reference evapotranspiration is used as the basis of determining the Maximum Applied Water Allowance so that regional differences in climate can be accommodated.

(eee) "rehabilitated landscape" means any re-landscaping project that requires a permit, plan check, or design review, meets the requirements of Section 490.1, and the modified landscape area is equal to or greater than 2,500 square feet, is 50% of the total landscape area, and the modifications are completed within one year.

(fff) "runoff" means water which is not absorbed by the soil or landscape to which it is applied and flows from the landscape area. For example, runoff may result from water that is applied at too great a rate (application rate exceeds infiltration rate) or when there is a slope.

(ggg) "soil moisture sensing device" or "soil moisture sensor" means a device that measures the amount of water in the soil. The device may also suspend or initiate an irrigation event.

(hhh) "soil texture" means the classification of soil based on its percentage of sand, silt, and clay.

(iii) "Special Landscape Area" (SLA) means an area of the landscape dedicated solely to edible plants, areas irrigated with recycled water, water features using recycled water and areas dedicated to active play such as parks, sports fields, golf courses, and where turf provides a playing surface.

(jjj) "sprinkler head" means a device which delivers water through a nozzle.

(kkk) "static water pressure" means the pipeline or municipal water supply pressure when water is not flowing.

(lll) "station" means an area served by one valve or by a set of valves that operate simultaneously.

(mmm) "swing joint" means an irrigation component that provides a flexible, leak-free connection between the emission device and lateral pipeline to allow movement in any direction and to prevent equipment damage.

(nnn) "turf" means a ground cover surface of mowed grass. Annual bluegrass, Kentucky bluegrass, Perennial ryegrass, Red fescue, and Tall fescue are cool-season grasses. Bermudagrass, Kikuyugrass, Seashore Paspalum, St. Augustinegrass, Zoysiagrass, and Buffalo grass are warm-season grasses.

(ooo) "valve" means a device used to control the flow of water in the irrigation system.

(ppp) "water conserving plant species" means a plant species identified as having a low plant factor.

(qqq) "water feature" means a design element where open water performs an aesthetic or recreational function. Water features include ponds, lakes, waterfalls, fountains, artificial streams, spas, and

imming pools (where water is artificially supplied). The surface area of water features is included in the high water use hydrozone of the landscape area. Constructed wetlands used for on-site wastewater treatment or stormwater best management practices that are not irrigated and used solely for water treatment or stormwater retention are not water features and, therefore, are not subject to the water budget calculation.

(rrr) "watering window" means the time of day irrigation is allowed.

(sss) "WUCOLS" means the Water Use Classification of Landscape Species published by the University of California Cooperative Extension, the Department of Water Resources and the Bureau of Reclamation, 2000.

Note: Authority Cited: Section 65595, Government Code. Reference: Sections 65592, 65596, Government Code.

§ 492. Provisions for New Construction or Rehabilitated Landscapes.

(a) A local agency may designate another agency, such as a water purveyor, to implement some or all of the requirements contained in this ordinance. Local agencies may collaborate with water purveyors to define each entity's specific responsibilities relating to this ordinance.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 492.1 Compliance with Landscape Documentation Package.

Prior to construction, the local agency shall:

(1) provide the project applicant with the ordinance and procedures for permits, plan checks, or design reviews;

(2) review the Landscape Documentation Package submitted by the project applicant;

(3) approve or deny the Landscape Documentation Package;

(4) issue a permit or approve the plan check or design review for the project applicant; and

(5) upon approval of the Landscape Documentation Package, submit a copy of the Water Efficient Landscape Worksheet to the local water purveyor.

(b) Prior to construction, the project applicant shall:

(1) submit a Landscape Documentation Package to the local agency.

(c) Upon approval of the Landscape Documentation Package by the local agency, the project applicant shall:

(1) receive a permit or approval of the plan check or design review and record the date of the permit in the Certificate of Completion;

(2) submit a copy of the approved Landscape Documentation Package along with the record drawings, and any other information to the property owner or his/her designee; and

(3) submit a copy of the Water Efficient Landscape Worksheet to the local water purveyor.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 492.2 Penalties.

(a) A local agency may establish and administer penalties to the project applicant for non-compliance with the ordinance to the extent permitted by law.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 492.3 Elements of the Landscape Documentation Package.

(a) The Landscape Documentation Package shall include the following six (6) elements:

(1) project information;

(A) date

(B) project applicant

(C) project address (if available, parcel and/or lot number(s))

(D) total landscape area (square feet)

(E) project type (e.g., new, rehabilitated, public, private, cemetery, homeowner-installed)

(F) water supply type (e.g., potable, recycled, well) and identify the local retail water purveyor if the applicant is not served by a private well

(G) checklist of all documents in Landscape Documentation Package

(H) project contacts to include contact information for the project applicant and property owner

(I) applicant signature and date with statement, "I agree to comply with the requirements of the water efficient landscape ordinance and submit a complete Landscape Documentation Package".

(2) Water Efficient Landscape Worksheet;

(A) hydrozone information table

(B) water budget calculations

1. Maximum Applied Water Allowance (MAWA)

2. Estimated Total Water Use (ETWU)

(3) soil management report;

(4) landscape design plan;

(5) irrigation design plan; and

(6) grading design plan.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 492.4 Water Efficient Landscape Worksheet.

(a) A project applicant shall complete the Water Efficient Landscape Worksheet which contains two sections (see sample worksheet in Appendix B):

(1) a hydrozone information table (see Appendix B, Section A) for the landscape project; and

(2) a water budget calculation (see Appendix B, Section B) for the landscape project. For the calculation of the Maximum Applied Water Allowance and Estimated Total Water Use, a project applicant shall use the ETo values from the Reference Evapotranspiration Table in Appendix A. For geographic areas not covered in Appendix A, use data from other cities located nearby in the same reference evapotranspiration zone, as found in the CIMIS Reference Evapotranspiration Zones Map, Department of Water Resources, 1999.

(b) Water budget calculations shall adhere to the following requirements:

(1) The plant factor used shall be from WUCOLS. The plant factor ranges from 0 to 0.3 for low water use plants, from 0.4 to 0.6 for moderate water use plants, and from 0.7 to 1.0 for high water use plants.

(2) All water features shall be included in the high water use hydrozone and temporarily irrigated areas shall be included in the low water use hydrozone.

(3) All Special Landscape Areas shall be identified and their water use calculated as described below.

(4) ETAF for Special Landscape Areas shall not exceed 1.0.

(c) Maximum Applied Water Allowance

The Maximum Applied Water Allowance shall be calculated using the equation:

$$MAWA = (ET_o) (0.62) [(0.7 \times LA) + (0.3 \times SLA)]$$

The example calculations below are hypothetical to demonstrate proper use of the equations and do not present an existing and/or planned landscape project. The ETo values used in these calculations are from the Reference Evapotranspiration Table in Appendix A, for planning purposes only. For actual irrigation scheduling, automatic irrigation controllers are required and shall use current reference evapotranspiration data, such as from the California Irrigation Management Information System (CIMIS), other equivalent data, or soil moisture sensor data.

(1) Example MAWA calculation: a hypothetical landscape project in Fresno, CA with an irrigated landscape area of 50,000 square feet without any Special Landscape Area (SLA = 0, no edible plants, recreational areas, or use of recycled water). To calculate MAWA, the annual reference evapotranspiration value for Fresno is 51.1 inches as listed in the Reference Evapotranspiration Table in Appendix A.

$$\text{MAWA} = (\text{ETo}) (0.62) [(0.7 \times \text{LA}) + (0.3 \times \text{SLA})]$$

MAWA = Maximum Applied Water Allowance (gallons per year)

ETo = Reference Evapotranspiration (inches per year)

0.62 = Conversion Factor (to gallons)

0.7 = ET Adjustment Factor (ETAF)

LA = Landscape Area including SLA (square feet)

0.3 = Additional Water Allowance for SLA

SLA = Special Landscape Area (square feet)

$$\text{MAWA} = (51.1 \text{ inches}) (0.62) [(0.7 \times 50,000 \text{ square feet}) + (0.3 \times 0)]$$

$$= 1,108,870 \text{ gallons per year}$$

To convert from gallons per year to hundred-cubic-feet per year:

$$= 1,108,870 / 748 = 1,482 \text{ hundred-cubic-feet per year}$$

$$100 \text{ cubic feet} = 748 \text{ gallons}$$

(2) In this next hypothetical example, the landscape project in Fresno, CA has the same ETo value of 51.1 inches and a total landscape area of 50,000 square feet. Within the 50,000 square foot project, there is now a 2,000 square foot area planted with edible plants. This 2,000 square foot area is considered to be a Special Landscape Area.

$$\text{MAWA} = (\text{ETo}) (0.62) [(0.7 \times \text{LA}) + (0.3 \times \text{SLA})]$$

$$\text{MAWA} = (51.1 \text{ inches}) (0.62) [(0.7 \times 50,000 \text{ square feet}) + (0.3 \times 2,000 \text{ square feet})]$$

$$= 31.68 \times [35,000 + 600] \text{ gallons per year}$$

$$= 31.68 \times 35,600 \text{ gallons per year}$$

$$= 1,127,808 \text{ gallons per year or } 1,508 \text{ hundred-cubic-feet per year}$$

(d) Estimated Total Water Use.

The Estimated Total Water Use shall be calculated using the equation below. The sum of the Estimated Total Water Use calculated for all hydrozones shall not exceed MAWA.

$$\text{ETWU} = (\text{ETo})(0.62) \left(\frac{\text{PF} \times \text{HA}}{\text{IE}} + \text{SLA} \right)$$

Where:

ETWU = Estimated Total Water Use per year (gallons)

ETo = Reference Evapotranspiration (inches)

PF = Plant Factor from WUCOLS (see Section 491)

HA = Hydrozone Area [high, medium, and low water use areas] (square feet)

SLA = Special Landscape Area (square feet)

0.62 = Conversion Factor

IE = Irrigation Efficiency (minimum 0.71)

(1) Example ETWU calculation: landscape area is 50,000 square feet; plant water use type, plant factor, and hydrozone area are shown in the table below. The ETo value is 51.1 inches per year. There are no Special Landscape Areas (recreational area, area permanently and solely dedicated to edible plants, and area irrigated with recycled water) in this example.

Hydrozone	Plant Water Use Type(s)	Plant Factor (PF)*	Hydrozone Area (HA) (square feet)	PF x HA (square feet)
1	High	0.8	7,000	5,600
2	High	0.7	10,000	7,000
3	Medium	0.5	16,000	8,000
4	Low	0.3	7,000	2,100
5	Low	0.2	10,000	2,000
			Sum	24,700

*Plant Factor from WUCOLS

$$ETWU = (51.1)(0.62) \left(\frac{24,700}{0.71} + 0 \right)$$

= 1,102,116 gallons per year

Compare ETWU with MAWA: For this example MAWA = (51.1) (0.62) [(0.7 x 50,000) + (0.3 x 0)] = 1,108,870 gallons per year. The ETWU (1,102,116 gallons per year) is less than MAWA (1,108,870 gallons per year). In this example, the water budget complies with the MAWA.

(2) Example ETWU calculation: total landscape area is 50,000 square feet, 2,000 square feet of which is planted with edible plants. The edible plant area is considered a Special Landscape Area (SLA). The reference evapotranspiration value is 51.1 inches per year. The plant type, plant factor, and hydrozone area are shown in the table below.

Hydrozone	Plant Water Use Type(s)	Plant Factor (PF)*	Hydrozone Area (HA) (square feet)	PF x HA (square feet)
1	High	0.8	7,000	5,600
2	High	0.7	9,000	6,300
3	Medium	0.5	15,000	7,500
4	Low	0.3	7,000	2,100
5	Low	0.2	10,000	2,000
			Sum	23,500
6	SLA	1.0	2,000	2,000

*Plant Factor from WUCOLS

$$ETWU = (51.1)(0.62) \left(\frac{23,500}{0.71} + 2,000 \right)$$

= (31.68) (33,099 + 2,000)

= 1,111,936 gallons per year

Compare ETWU with MAWA. For this example:

$$\begin{aligned} \text{MAWA} &= (51.1) (0.62) [(0.7 \times 50,000) + (0.3 \times 2,000)] \\ &= 31.68 \times [35,000 + 600] \\ &= 31.68 \times 35,600 \\ &= 1,127,808 \text{ gallons per year} \end{aligned}$$

The ETWU (1,111,936 gallons per year) is less than MAWA (1,127,808 gallons per year). For this example, the water budget complies with the MAWA.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 492.5 Soil Management Report.

(a) In order to reduce runoff and encourage healthy plant growth, a soil management report shall be completed by the project applicant, or his/her designee, as follows:

(1) Submit soil samples to a laboratory for analysis and recommendations.

(A) Soil sampling shall be conducted in accordance with laboratory protocol, including protocols regarding adequate sampling depth for the intended plants.

(B) The soil analysis may include:

1. soil texture;
2. infiltration rate determined by laboratory test or soil texture infiltration rate table;
3. pH;
4. total soluble salts;
- sodium;
- percent organic matter; and
7. recommendations.

(2) The project applicant, or his/her designee, shall comply with one of the following:

(A) If significant mass grading is not planned, the soil analysis report shall be submitted to the local agency as part of the Landscape Documentation Package; or

(B) If significant mass grading is planned, the soil analysis report shall be submitted to the local agency as part of the Certificate of Completion.

(3) The soil analysis report shall be made available, in a timely manner, to the professionals preparing the landscape design plans and irrigation design plans to make any necessary adjustments to the design plans.

(4) The project applicant, or his/her designee, shall submit documentation verifying implementation of soil analysis report recommendations to the local agency with Certificate of Completion.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 492.6 Landscape Design Plan.

(a) For the efficient use of water, a landscape shall be carefully designed and planned for the intended function of the project. A landscape design plan meeting the following design criteria shall be submitted as part of the Landscape Documentation Package.

(1) Plant Material

(A) Any plant may be selected for the landscape, providing the Estimated Total Water Use in the landscape area does not exceed the Maximum Applied Water Allowance. To encourage the efficient use of water, the following is highly recommended:

1. protection and preservation of native species and natural vegetation;
2. selection of water-conserving plant and turf species;

3. selection of plants based on disease and pest resistance;
4. selection of trees based on applicable local tree ordinances or tree shading guidelines; and
5. selection of plants from local and regional landscape program plant lists.

(B) Each hydrozone shall have plant materials with similar water use, with the exception of hydrozones with plants of mixed water use, as specified in Section 492.7(a)(2)(D).

(C) Plants shall be selected and planted appropriately based upon their adaptability to the climatic, geologic, and topographical conditions of the project site. To encourage the efficient use of water, the following is highly recommended:

1. use the Sunset Western Climate Zone System which takes into account temperature, humidity, elevation, terrain, latitude, and varying degrees of continental and marine influence on local climate;
2. recognize the horticultural attributes of plants (i.e., mature plant size, invasive surface roots) to minimize damage to property or infrastructure [e.g., buildings, sidewalks, power lines]; and
3. consider the solar orientation for plant placement to maximize summer shade and winter solar gain.

(D) Turf is not allowed on slopes greater than 25% where the toe of the slope is adjacent to an impermeable hardscape and where 25% means 1 foot of vertical elevation change for every 4 feet of horizontal length (rise divided by run x 100 = slope percent).

(E) A landscape design plan for projects in fire-prone areas shall address fire safety and prevention. A defensible space or zone around a building or structure is required per Public Resources Code Section 4291(a) and (b). Avoid fire-prone plant materials and highly flammable mulches.

(F) The use of invasive and/or noxious plant species is strongly discouraged.

(G) The architectural guidelines of a common interest development, which include community apartment projects, condominiums, planned developments, and stock cooperatives, shall not prohibit or include conditions that have the effect of prohibiting the use of low-water use plants as a group.

(2) Water Features

(A) Recirculating water systems shall be used for water features.

(B) Where available, recycled water shall be used as a source for decorative water features.

(C) Surface area of a water feature shall be included in the high water use hydrozone area of the water budget calculation.

(D) Pool and spa covers are highly recommended.

(3) Mulch and Amendments

(A) A minimum two inch (2") layer of mulch shall be applied on all exposed soil surfaces of planting areas except in turf areas, creeping or rooting groundcovers, or direct seeding applications where mulch is contraindicated.

(B) Stabilizing mulching products shall be used on slopes.

(C) The mulching portion of the seed/mulch slurry in hydro-seeded applications shall meet the mulching requirement.

(D) Soil amendments shall be incorporated according to recommendations of the soil report and what is appropriate for the plants selected (see Section 492.5).

(b) The landscape design plan, at a minimum, shall:

- (1) delineate and label each hydrozone by number, letter, or other method;
- (2) identify each hydrozone as low, moderate, high water, or mixed water use. Temporarily irrigated areas of the landscape shall be included in the low water use hydrozone for the water budget calculation;
- (3) identify recreational areas;
- (4) identify areas permanently and solely dedicated to edible plants;
- (5) identify areas irrigated with recycled water;
- (6) identify type of mulch and application depth;
- (7) identify soil amendments, type, and quantity;
- (8) identify type and surface area of water features;
- (9) identify hardscapes (pervious and non-pervious);

- 0) identify location and installation details of any applicable stormwater best management practices that encourage on-site retention and infiltration of stormwater. Stormwater best management practices are encouraged in the landscape design plan and examples include, but are not limited to:
 - (A) infiltration beds, swales, and basins that allow water to collect and soak into the ground;
 - (B) constructed wetlands and retention ponds that retain water, handle excess flow, and filter pollutants; and
 - (C) pervious or porous surfaces (e.g., permeable pavers or blocks, pervious or porous concrete, etc.) that minimize runoff.
- (11) identify any applicable rain harvesting or catchment technologies (e.g., rain gardens, cisterns, etc.);
- (12) contain the following statement: "I have complied with the criteria of the ordinance and applied them for the efficient use of water in the landscape design plan"; and
- (13) bear the signature of a licensed landscape architect, licensed landscape contractor, or any other person authorized to design a landscape. (See Sections 5500.1, 5615, 5641, 5641.1, 5641.2, 5641.3, 5641.4, 5641.5, 5641.6, 6701, 7027.5 of the Business and Professions Code, Section 832.27 of Title 16 of the California Code of Regulations, and Section 6721 of the Food and Agriculture Code.)

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code and Section 1351, Civil Code.

§ 492.7 Irrigation Design Plan.

- (a) For the efficient use of water, an irrigation system shall meet all the requirements listed in this section and the manufacturers' recommendations. The irrigation system and its related components shall be planned and designed to allow for proper installation, management, and maintenance. An irrigation design plan meeting the following design criteria shall be submitted as part of the Landscape Documentation Package.
 - (1) System
 - (A) Dedicated landscape water meters are highly recommended on landscape areas smaller than 5,000 square feet to facilitate water management.
 - (B) Automatic irrigation controllers utilizing either evapotranspiration or soil moisture sensor data shall be required for irrigation scheduling in all irrigation systems.
 - (C) The irrigation system shall be designed to ensure that the dynamic pressure at each emission device is within the manufacturer's recommended pressure range for optimal performance.
 - 1. If the static pressure is above or below the required dynamic pressure of the irrigation system, pressure-regulating devices such as inline pressure regulators, booster pumps, or other devices shall be installed to meet the required dynamic pressure of the irrigation system.
 - 2. Static water pressure, dynamic or operating pressure, and flow reading of the water supply shall be measured at the point of connection. These pressure and flow measurements shall be conducted at the design stage. If the measurements are not available at the design stage, the measurements shall be conducted at installation.
 - (D) Sensors (rain, freeze, wind, etc.), either integral or auxiliary, that suspend or alter irrigation operation during unfavorable weather conditions shall be required on all irrigation systems, as appropriate for local climatic conditions. Irrigation should be avoided during windy or freezing weather or during rain.
 - (E) Manual shut-off valves (such as a gate valve, ball valve, or butterfly valve) shall be required, as close as possible to the point of connection of the water supply, to minimize water loss in case of an emergency (such as a main line break) or routine repair.

(F) Backflow prevention devices shall be required to protect the water supply from contamination by the irrigation system. A project applicant shall refer to the applicable local agency code (i.e., public health) for additional backflow prevention requirements.

(G) High flow sensors that detect and report high flow conditions created by system damage or malfunction are recommended.

(H) The irrigation system shall be designed to prevent runoff, low head drainage, overspray, or other similar conditions where irrigation water flows onto non-targeted areas, such as adjacent property, non-irrigated areas, hardscapes, roadways, or structures.

(I) Relevant information from the soil management plan, such as soil type and infiltration rate, shall be utilized when designing irrigation systems.

(J) The design of the irrigation system shall conform to the hydrozones of the landscape design plan.

(K) The irrigation system must be designed and installed to meet, at a minimum, the irrigation efficiency criteria as described in Section 492.4 regarding the Maximum Applied Water Allowance.

(L) It is highly recommended that the project applicant or local agency inquire with the local water purveyor about peak water operating demands (on the water supply system) or water restrictions that may impact the effectiveness of the irrigation system.

(M) In mulched planting areas, the use of low volume irrigation is required to maximize water infiltration into the root zone.

(N) Sprinkler heads and other emission devices shall have matched precipitation rates, unless otherwise directed by the manufacturer's recommendations.

(O) Head to head coverage is recommended. However, sprinkler spacing shall be designed to achieve the highest possible distribution uniformity using the manufacturer's recommendations.

(P) Swing joints or other riser-protection components are required on all risers subject to damage that are adjacent to high traffic areas.

(Q) Check valves or anti-drain valves are required for all irrigation systems.

(R) Narrow or irregularly shaped areas, including turf, less than eight (8) feet in width in any direction shall be irrigated with subsurface irrigation or low volume irrigation system.

(S) Overhead irrigation shall not be permitted within 24 inches of any non-permeable surface. Allowable irrigation within the setback from non-permeable surfaces may include drip, drip line, or other low flow non-spray technology. The setback area may be planted or unplanted. The surfacing of the setback may be mulch, gravel, or other porous material. These restrictions may be modified if:

1. the landscape area is adjacent to permeable surfacing and no runoff occurs; or
2. the adjacent non-permeable surfaces are designed and constructed to drain entirely to landscaping; or
3. the irrigation designer specifies an alternative design or technology, as part of the Landscape Documentation Package and clearly demonstrates strict adherence to irrigation system design criteria in Section 492.7 (a)(1)(H). Prevention of overspray and runoff must be confirmed during the irrigation audit.

(T) Slopes greater than 25% shall not be irrigated with an irrigation system with a precipitation rate exceeding 0.75 inches per hour. This restriction may be modified if the landscape designer specifies an alternative design or technology, as part of the Landscape Documentation Package, and clearly demonstrates no runoff or erosion will occur. Prevention of runoff and erosion must be confirmed during the irrigation audit.

(2) Hydrozone

(A) Each valve shall irrigate a hydrozone with similar site, slope, sun exposure, soil conditions, and plant materials with similar water use.

(B) Sprinkler heads and other emission devices shall be selected based on what is appropriate for the plant type within that hydrozone.

(C) Where feasible, trees shall be placed on separate valves from shrubs, groundcovers, and turf.

(D) Individual hydrozones that mix plants of moderate and low water use, or moderate and high water use, may be allowed if:

1. plant factor calculation is based on the proportions of the respective plant water uses and their plant factor; or

2. the plant factor of the higher water using plant is used for calculations.

(E) Individual hydrozones that mix high and low water use plants shall not be permitted.

(F) On the landscape design plan and irrigation design plan, hydrozone areas shall be designated by number, letter, or other designation. On the irrigation design plan, designate the areas irrigated by each valve, and assign a number to each valve. Use this valve number in the Hydrozone Information Table (see Appendix B Section A). This table can also assist with the irrigation audit and programming the controller.

(b) The irrigation design plan, at a minimum, shall contain:

(1) location and size of separate water meters for landscape;

(2) location, type and size of all components of the irrigation system, including controllers, main and lateral lines, valves, sprinkler heads, moisture sensing devices, rain switches, quick couplers, pressure regulators, and backflow prevention devices;

(3) static water pressure at the point of connection to the public water supply;

(4) flow rate (gallons per minute), application rate (inches per hour), and design operating pressure (pressure per square inch) for each station;

(5) recycled water irrigation systems as specified in Section 492.14;

(6) the following statement: "I have complied with the criteria of the ordinance and applied them accordingly for the efficient use of water in the irrigation design plan"; and

(7) the signature of a licensed landscape architect, certified irrigation designer, licensed landscape contractor, or any other person authorized to design an irrigation system. (See Sections 5500.1, 5615, 5641, 5641.1, 5641.2, 5641.3, 5641.4, 5641.5, 5641.6, 6701, 7027.5 of the Business and Professions Code, Section 832.27 of Title 16 of the California Code of Regulations, and Section 6721 of the Food and Agricultural Code.)

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 492.8 Grading Design Plan.

(a) For the efficient use of water, grading of a project site shall be designed to minimize soil erosion, runoff, and water waste. A grading plan shall be submitted as part of the Landscape Documentation Package. A comprehensive grading plan prepared by a civil engineer for other local agency permits satisfies this requirement.

(1) The project applicant shall submit a landscape grading plan that indicates finished configurations and elevations of the landscape area including:

(A) height of graded slopes;

(B) drainage patterns;

(C) pad elevations;

(D) finish grade; and

(E) stormwater retention improvements, if applicable.

(2) To prevent excessive erosion and runoff, it is highly recommended that project applicants:

(A) grade so that all irrigation and normal rainfall remains within property lines and does not drain on to non-permeable hardscapes;

(B) avoid disruption of natural drainage patterns and undisturbed soil; and

(C) avoid soil compaction in landscape areas.

(3) The grading design plan shall contain the following statement: "I have complied with the criteria of the ordinance and applied them accordingly for the efficient use of water in the grading design plan" and shall bear the signature of a licensed professional as authorized by law.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 492.9 Certificate of Completion.

(a) The Certificate of Completion (see Appendix C for a sample certificate) shall include the following six (6) elements:

(1) project information sheet that contains:

(A) date;

(B) project name;

(C) project applicant name, telephone, and mailing address;

(D) project address and location; and

(E) property owner name, telephone, and mailing address;

(2) certification by either the signer of the landscape design plan, the signer of the irrigation design plan, or the licensed landscape contractor that the landscape project has been installed per the approved Landscape Documentation Package;

(A) where there have been significant changes made in the field during construction, these "as-built" or record drawings shall be included with the certification;

(3) irrigation scheduling parameters used to set the controller (see Section 492.10);

(4) landscape and irrigation maintenance schedule (see Section 492.11);

(5) irrigation audit report (see Section 492.12); and

(6) soil analysis report, if not submitted with Landscape Documentation Package, and documentation verifying implementation of soil report recommendations (see Section 492.5).

(b) The project applicant shall:

(1) submit the signed Certificate of Completion to the local agency for review;

(2) ensure that copies of the approved Certificate of Completion are submitted to the local water purveyor and property owner or his or her designee.

(c) The local agency shall:

(1) receive the signed Certificate of Completion from the project applicant;

(2) approve or deny the Certificate of Completion. If the Certificate of Completion is denied, the local agency shall provide information to the project applicant regarding reapplication, appeal, or other assistance.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 492.10 Irrigation Scheduling.

(a) For the efficient use of water, all irrigation schedules shall be developed, managed, and evaluated to utilize the minimum amount of water required to maintain plant health. Irrigation schedules shall meet the following criteria:

(1) Irrigation scheduling shall be regulated by automatic irrigation controllers.

(2) Overhead irrigation shall be scheduled between 8:00 p.m. and 10:00 a.m. unless weather conditions prevent it. If allowable hours of irrigation differ from the local water purveyor, the stricter of the two shall apply. Operation of the irrigation system outside the normal watering window is allowed for auditing and system maintenance.

(3) For implementation of the irrigation schedule, particular attention must be paid to irrigation run times, emission device, flow rate, and current reference evapotranspiration, so that applied water meets the Estimated Total Water Use. Total annual applied water shall be less than or equal to Maximum Applied Water Allowance (MAWA). Actual irrigation schedules shall be regulated by automatic irrigation controllers using current reference evapotranspiration data (e.g., CIMIS) or soil moisture sensor data.

(4) Parameters used to set the automatic controller shall be developed and submitted for each of the following:

(A) the plant establishment period;

- (3) the established landscape; and
- (4) temporarily irrigated areas.
- (5) Each irrigation schedule shall consider for each station all of the following that apply:
 - (A) irrigation interval (days between irrigation);
 - (B) irrigation run times (hours or minutes per irrigation event to avoid runoff);
 - (C) number of cycle starts required for each irrigation event to avoid runoff;
 - (D) amount of applied water scheduled to be applied on a monthly basis;
 - (E) application rate setting;
 - (F) root depth setting;
 - (G) plant type setting;
 - (H) soil type;
 - (I) slope factor setting;
 - (J) shade factor setting; and
 - (K) irrigation uniformity or efficiency setting.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 492.11 Landscape and Irrigation Maintenance Schedule.

- (a) Landscapes shall be maintained to ensure water use efficiency. A regular maintenance schedule shall be submitted with the Certificate of Completion.
- (b) A regular maintenance schedule shall include, but not be limited to, routine inspection; adjustment and repair of the irrigation system and its components; aerating and dethatching turf areas; replenishing mulch; fertilizing; pruning; weeding in all landscape areas, and removing any obstruction to emission devices. Operation of the irrigation system outside the normal watering window is allowed for auditing and system maintenance.
- (c) Repair of all irrigation equipment shall be done with the originally installed components or their equivalents.
- (d) A project applicant is encouraged to implement sustainable or environmentally-friendly practices for overall landscape maintenance.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 492.12 Irrigation Audit, Irrigation Survey, and Irrigation Water Use Analysis.

- (a) All landscape irrigation audits shall be conducted by a certified landscape irrigation auditor.
- (b) For new construction and rehabilitated landscape projects installed after January 1, 2010, as described in Section 490.1:
 - (1) the project applicant shall submit an irrigation audit report with the Certificate of Completion to the local agency that may include, but is not limited to: inspection, system tune-up, system test with distribution uniformity, reporting overspray or run off that causes overland flow, and preparation of an irrigation schedule;
 - (2) the local agency shall administer programs that may include, but not be limited to, irrigation water use analysis, irrigation audits, and irrigation surveys for compliance with the Maximum Applied Water Allowance.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 492.13 Irrigation Efficiency.

(a) For the purpose of determining Maximum Applied Water Allowance, average irrigation efficiency is assumed to be 0.71. Irrigation systems shall be designed, maintained, and managed to meet or exceed an average landscape irrigation efficiency of 0.71.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 492.14 Recycled Water.

(a) The installation of recycled water irrigation systems shall allow for the current and future use of recycled water, unless a written exemption has been granted as described in Section 492.14(b).

(b) Irrigation systems and decorative water features shall use recycled water unless a written exemption has been granted by the local water purveyor stating that recycled water meeting all public health codes and standards is not available and will not be available for the foreseeable future.

(c) All recycled water irrigation systems shall be designed and operated in accordance with all applicable local and State laws.

(d) Landscapes using recycled water are considered Special Landscape Areas. The ET Adjustment Factor for Special Landscape Areas shall not exceed 1.0.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 492.15 Stormwater Management.

(a) Stormwater management practices minimize runoff and increase infiltration which recharges groundwater and improves water quality. Implementing stormwater best management practices into the landscape and grading design plans to minimize runoff and to increase on-site retention and infiltration are encouraged.

(b) Project applicants shall refer to the local agency or Regional Water Quality Control Board for information on any applicable stormwater ordinances and stormwater management plans.

(c) Rain gardens, cisterns, and other landscapes features and practices that increase rainwater capture and create opportunities for infiltration and/or onsite storage are recommended.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 492.16 Public Education.

(a) Publications. Education is a critical component to promote the efficient use of water in landscapes. The use of appropriate principles of design, installation, management and maintenance that save water is encouraged in the community.

(1) A local agency shall provide information to owners of new, single-family residential homes regarding the design, installation, management, and maintenance of water efficient landscapes.

(b) Model Homes. All model homes that are landscaped shall use signs and written information to demonstrate the principles of water efficient landscapes described in this ordinance.

(1) Signs shall be used to identify the model as an example of a water efficient landscape featuring elements such as hydrozones, irrigation equipment, and others that contribute to the overall water efficient theme.

(2) Information shall be provided about designing, installing, managing, and maintaining water efficient landscapes.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

492.17 Environmental Review.

(a) The local agency must comply with the California Environmental Quality Act (CEQA), as appropriate.

Note: Authority cited: Section 21082, Public Resources Code. Reference: Sections 21080, 21082, Public Resources Code.

§ 493. Provisions for Existing Landscapes.

(a) A local agency may designate another agency, such as a water purveyor, to implement some or all of the requirements contained in this ordinance. Local agencies may collaborate with water purveyors to define each entity's specific responsibilities relating to this ordinance.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 493.1 Irrigation Audit, Irrigation Survey, and Irrigation Water Use Analysis.

(a) This section, 493.1, shall apply to all existing landscapes that were installed before January 1, 2010 and are over one acre in size.

(1) For all landscapes in 493.1(a) that have a water meter, the local agency shall administer programs that may include, but not be limited to, irrigation water use analyses, irrigation surveys, and irrigation audits to evaluate water use and provide recommendations as necessary to reduce landscape water use to a level that does not exceed the Maximum Applied Water Allowance for existing landscapes. The Maximum Applied Water Allowance for existing landscapes shall be calculated as: $MWA = (ET_o)(LA)(0.62)$.

(2) For all landscapes in 493.1(a), that do not have a meter, the local agency shall administer programs that may include, but not be limited to, irrigation surveys and irrigation audits to evaluate water use and provide recommendations as necessary in order to prevent water waste.

(b) All landscape irrigation audits shall be conducted by a certified landscape irrigation auditor.

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

§ 493.2 Water Waste Prevention.

(a) Local agencies shall prevent water waste resulting from inefficient landscape irrigation by prohibiting runoff from leaving the target landscape due to low head drainage, overspray, or other similar conditions where water flows onto adjacent property, non-irrigated areas, walks, roadways, parking lots, or structures. Penalties for violation of these prohibitions shall be established locally.

(b) Restrictions regarding overspray and runoff may be modified if:

- (1) the landscape area is adjacent to permeable surfacing and no runoff occurs; or
- (2) the adjacent non-permeable surfaces are designed and constructed to drain entirely to landscaping.

Note: Authority cited: Section 65594, Government Code. Reference: Section 65596, Government Code.

§ 494. Effective Precipitation.

(a) A local agency may consider Effective Precipitation (25% of annual precipitation) in tracking water use and may use the following equation to calculate Maximum Applied Water Allowance:

$$MWA = (ET_o - Eppt) (0.62) [(0.7 \times LA) + (0.3 \times SLA)].$$

Note: Authority Cited: Section 65595, Government Code. Reference: Section 65596, Government Code.

Appendices.

Appendix A. Reference Evapotranspiration (ET_o) Table.

Appendix A - Reference Evapotranspiration (ETo) Table*

County and City	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual ETo
ALAMEDA													
Fremont	1.5	1.9	3.4	4.7	5.4	6.3	6.7	6.0	4.5	3.4	1.8	1.5	47.0
Livermore	1.2	1.5	2.9	4.4	5.9	6.6	7.4	6.4	5.3	3.2	1.5	0.9	47.2
Oakland	1.5	1.5	2.8	3.9	5.1	5.3	6.0	5.5	4.8	3.1	1.4	0.9	41.8
Oakland Foothills	1.1	1.4	2.7	3.7	5.1	6.4	5.8	4.9	3.6	2.6	1.4	1.0	39.6
Pleasanton	0.8	1.5	2.9	4.4	5.6	6.7	7.4	6.4	4.7	3.3	1.5	1.0	46.2
Union City	1.4	1.8	3.1	4.2	5.4	5.9	6.4	5.7	4.4	3.1	1.5	1.2	44.2
ALPINE													
Markleeville	0.7	0.9	2.0	3.5	5.0	6.1	7.3	6.4	4.4	2.6	1.2	0.5	40.6
AMADOR													
Jackson	1.2	1.5	2.8	4.4	6.0	7.2	7.9	7.2	5.3	3.2	1.4	0.9	48.9
Shanandoah Valley	1.0	1.7	2.9	4.4	5.6	6.8	7.9	7.1	5.2	3.6	1.7	1.0	48.8
BUTTE													
Chico	1.2	1.8	2.9	4.7	6.1	7.4	8.5	7.3	5.4	3.7	1.7	1.0	51.7
Durham	1.1	1.8	3.2	5.0	6.5	7.4	7.8	6.9	5.3	3.6	1.7	1.0	51.1
Gridley	1.2	1.8	3.0	4.7	6.1	7.7	8.5	7.1	5.4	3.7	1.7	1.0	51.9
Oroville	1.2	1.7	2.8	4.7	6.1	7.6	8.5	7.3	5.3	3.7	1.7	1.0	51.5
CALAVERAS													
San Andreas	1.2	1.5	2.8	4.4	6.0	7.3	7.9	7.0	5.3	3.2	1.4	0.7	48.8
COLUSA													
Colusa	1.0	1.7	3.4	5.0	6.4	7.6	8.3	7.2	5.4	3.8	1.8	1.1	52.8
Williams	1.2	1.7	2.9	4.5	6.1	7.2	8.5	7.3	5.3	3.4	1.6	1.0	50.8
CONTRA COSTA													
Benicia	1.3	1.4	2.7	3.8	4.9	5.0	6.4	5.5	4.4	2.9	1.2	0.7	40.3
Brentwood	1.0	1.5	2.9	4.5	6.1	7.1	7.9	6.7	5.2	3.2	1.4	0.7	48.3
Concord	1.1	1.4	2.4	4.0	5.5	5.9	7.0	6.0	4.8	3.2	1.3	0.7	43.4
Courtland	0.9	1.5	2.9	4.4	6.1	6.9	7.9	6.7	5.3	3.2	1.4	0.7	48.0
Martinez	1.2	1.4	2.4	3.9	5.3	5.6	6.7	5.6	4.7	3.1	1.2	0.7	41.8
Moraga	1.2	1.5	3.4	4.2	5.5	6.1	6.7	5.9	4.6	3.2	1.6	1.0	44.9
Pittsburg	1.0	1.5	2.8	4.1	5.6	6.4	7.4	6.4	5.0	3.2	1.3	0.7	45.4
Walnut Creek	0.8	1.5	2.9	4.4	5.6	6.7	7.4	6.4	4.7	3.3	1.5	1.0	46.2
DEL NORTE													
Crescent City	0.5	0.9	2.0	3.0	3.7	3.5	4.3	3.7	3.0	2.0	0.9	0.5	27.7
EL DORADO													
Camino	0.9	1.7	2.5	3.9	5.9	7.2	7.8	6.8	5.1	3.1	1.5	0.9	47.3
FRESNO													
Clovis	1.0	1.5	3.2	4.8	6.4	7.7	8.5	7.3	5.3	3.4	1.4	0.7	51.4
Coalinga	1.2	1.7	3.1	4.6	6.2	7.2	8.5	7.3	5.3	3.4	1.6	0.7	50.9
Firebaugh	1.0	1.8	3.7	5.7	7.3	8.1	8.2	7.2	5.5	3.9	2.0	1.1	55.4
FivePoints	1.3	2.0	4.0	6.1	7.7	8.5	8.7	8.0	6.2	4.5	2.4	1.2	60.4
Fresno	0.9	1.7	3.3	4.8	6.7	7.8	8.4	7.1	5.2	3.2	1.4	0.6	51.1
Fresno State	0.9	1.6	3.2	5.2	7.0	8.0	8.7	7.6	5.4	3.6	1.7	0.9	53.7
Friant	1.2	1.5	3.1	4.7	6.4	7.7	8.5	7.3	5.3	3.4	1.4	0.7	51.3
Kerman	0.9	1.5	3.2	4.8	6.6	7.7	8.4	7.2	5.3	3.4	1.4	0.7	51.2
Kingsburg	1.0	1.5	3.4	4.8	6.6	7.7	8.4	7.2	5.3	3.4	1.4	0.7	51.6
Mendota	1.5	2.5	4.6	6.2	7.9	8.6	8.8	7.5	5.9	4.5	2.4	1.5	61.7
Orange Cove	1.2	1.9	3.5	4.7	7.4	8.5	8.9	7.9	5.9	3.7	1.8	1.2	56.7
Paroche	1.1	2.0	4.0	5.6	7.8	8.5	8.3	7.3	5.6	3.9	1.8	1.2	57.2
Parlier	1.0	1.9	3.6	5.2	6.8	7.6	8.1	7.0	5.1	3.4	1.7	0.9	52.0
Reedley	1.1	1.5	3.2	4.7	6.4	7.7	8.5	7.3	5.3	3.4	1.4	0.7	51.3
Westlands	0.9	1.7	3.8	6.3	8.0	8.6	8.6	7.8	5.9	4.3	2.1	1.1	58.8

Appendix A - Reference Evapotranspiration (ET_o) Table*

County and City	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual ET _o
GLENN													
Orland	1.1	1.8	3.4	5.0	6.4	7.5	7.9	6.7	5.3	3.9	1.8	1.4	52.1
Willows	1.2	1.7	2.9	4.7	6.1	7.2	8.5	7.3	5.3	3.6	1.7	1.0	51.3
HUMBOLDT													
Eureka	0.5	1.1	2.0	3.0	3.7	3.7	3.7	3.7	3.0	2.0	0.9	0.5	27.5
Ferndale	0.5	1.1	2.0	3.0	3.7	3.7	3.7	3.7	3.0	2.0	0.9	0.5	27.5
Garberville	0.6	1.2	2.2	3.1	4.5	5.0	5.5	4.9	3.8	2.4	1.0	0.7	34.9
Hoopla	0.5	1.1	2.1	3.0	4.4	5.4	6.1	5.1	3.8	2.4	0.9	0.7	35.6
IMPERIAL													
Brawley	2.8	3.8	5.9	8.0	10.4	11.5	11.7	10.0	8.4	6.2	3.5	2.1	84.2
Calipatria/Mulberry	2.4	3.2	5.1	6.8	8.6	9.2	9.2	8.6	7.0	5.2	3.1	2.3	70.7
El Centro	2.7	3.5	5.6	7.9	10.1	11.1	11.6	9.5	8.3	6.1	3.3	2.0	81.7
Holtville	2.8	3.8	5.9	7.9	10.4	11.6	12.0	10.0	8.6	6.2	3.5	2.1	84.7
Meloland	2.5	3.2	5.5	7.5	8.9	9.2	9.0	8.5	6.8	5.3	3.1	2.2	71.6
Palo Verde II	2.5	3.3	5.7	6.9	8.5	8.9	8.6	7.9	6.2	4.5	2.9	2.3	68.2
Secley	2.7	3.5	5.9	7.7	9.7	10.1	9.3	8.3	6.9	5.5	3.4	2.2	75.4
Westmoreland	2.4	3.3	5.3	6.9	8.7	9.6	9.6	8.7	6.9	5.0	3.0	2.2	71.4
Yuma	2.5	3.4	5.3	6.9	8.7	9.6	9.6	8.7	6.9	5.0	3.0	2.2	71.6
INYO													
Bishop	1.7	2.7	4.8	6.7	8.2	10.9	7.4	9.6	7.4	4.8	2.5	1.6	68.3
Death Valley Jct	2.2	3.3	5.4	7.7	9.8	11.1	11.4	10.1	8.3	5.4	2.9	1.7	79.1
Independence	1.7	2.7	3.4	6.6	8.5	9.5	9.8	8.5	7.1	3.9	2.0	1.5	65.2
Lower Haiwee Res.	1.8	2.7	4.4	7.1	8.5	9.5	9.8	8.5	7.1	4.2	2.6	1.5	67.6
Oasis	2.7	2.8	5.9	8.0	10.4	11.7	11.6	10.0	8.4	6.2	3.4	2.1	83.1
KERN													
Arvin	1.2	1.8	3.5	4.7	6.6	7.4	8.1	7.3	5.3	3.4	1.7	1.0	51.9
Bakersfield	1.0	1.8	3.5	4.7	6.6	7.7	8.5	7.3	5.3	3.5	1.6	0.9	52.4
Bakersfield/Bonanza	1.2	2.2	3.7	5.7	7.4	8.2	8.7	7.8	5.7	4.0	2.1	1.2	57.9
Bakersfield/Greenlee	1.2	2.2	3.7	5.7	7.4	8.2	8.7	7.8	5.7	4.0	2.1	1.2	57.9
Belridge	1.4	2.2	4.1	5.5	7.7	8.5	8.6	7.8	6.0	3.8	2.0	1.5	59.2
Blackwells Corner	1.4	2.1	3.8	5.4	7.0	7.8	8.5	7.7	5.8	3.9	1.9	1.2	56.6
Buttonwillow	1.0	1.8	3.2	4.7	6.6	7.7	8.5	7.3	5.4	3.4	1.5	0.9	52.0
China Lake	2.1	3.2	5.3	7.7	9.2	10.0	11.0	9.8	7.3	4.9	2.7	1.7	74.8
Delano	0.9	1.8	3.4	4.7	6.6	7.7	8.5	7.3	5.4	3.4	1.4	0.7	52.0
Famoso	1.3	1.9	3.5	4.8	6.7	7.6	8.0	7.3	5.5	3.5	1.7	1.3	53.1
Grapevine	1.3	1.8	3.1	4.4	5.6	6.8	7.6	6.8	5.9	3.4	1.9	1.0	49.5
Inyokern	2.0	3.1	4.9	7.3	8.5	9.7	11.0	9.4	7.1	5.1	2.6	1.7	72.4
Isabella Dam	1.2	1.4	2.8	4.4	5.8	7.3	7.9	7.0	5.0	3.2	1.7	0.9	48.4
Lamont	1.3	2.4	4.4	4.6	6.5	7.0	8.8	7.6	5.7	3.7	1.6	0.8	54.4
Lost Hills	1.6	2.2	3.7	5.1	6.8	7.8	8.7	7.8	5.7	4.0	2.1	1.6	57.1
McFarland/Kern	1.2	2.1	3.7	5.6	7.3	8.0	8.3	7.4	5.6	4.1	2.0	1.2	56.5
Shafter	1.0	1.7	3.4	5.0	6.6	7.7	8.3	7.3	5.4	3.4	1.5	0.9	52.1
Taft	1.3	1.8	3.1	4.3	6.2	7.3	8.5	7.3	5.4	3.4	1.7	1.0	51.2
Tehachapi	1.4	1.8	3.2	5.0	6.1	7.7	7.9	7.3	5.9	3.4	2.1	1.2	52.9
KINGS													
Caruthers	1.6	2.5	4.0	5.7	7.8	8.7	9.3	8.4	6.3	4.4	2.4	1.6	62.7
Corcoran	1.6	2.2	3.7	5.1	6.8	7.8	8.7	7.8	5.7	4.0	2.1	1.6	57.1
Hanford	0.9	1.5	3.4	5.0	6.6	7.7	8.3	7.2	5.4	3.4	1.4	0.7	51.5
Kettleman	1.1	2.0	4.0	6.0	7.5	8.5	9.1	8.2	6.1	4.5	2.2	1.1	60.2
Lemoore	0.9	1.5	3.4	5.0	6.6	7.7	8.3	7.3	5.4	3.4	1.4	0.7	51.7
Stratford	0.9	1.9	3.9	6.1	7.8	8.6	8.8	7.7	5.9	4.1	2.1	1.0	58.7

Appendix A - Reference Evapotranspiration (ET_o) Table*

County and City	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual ET _o
LAKE													
Lakeport	1.1	1.3	2.6	3.5	5.1	6.0	7.3	6.1	4.7	2.9	1.2	0.9	42.8
Lower Lake	1.2	1.4	2.7	4.5	5.3	6.3	7.4	6.4	5.0	3.1	1.3	0.9	45.4
LASSEN													
Buntingville	1.0	1.7	3.5	4.9	6.2	7.3	8.4	7.5	5.4	3.4	1.5	0.9	51.8
Ravendale	0.6	1.1	2.3	4.1	5.6	6.7	7.9	7.3	4.7	2.8	1.2	0.5	44.9
Susanville	0.7	1.0	2.2	4.1	5.6	6.5	7.8	7.0	4.6	2.8	1.2	0.5	44.0
LOS ANGELES													
Burbank	2.1	2.8	3.7	4.7	5.1	6.0	6.6	6.7	5.4	4.0	2.6	2.0	51.7
Claremont	2.0	2.3	3.4	4.6	5.0	6.0	7.0	7.0	5.3	4.0	2.7	2.1	51.3
El Dorado	1.7	2.2	3.6	4.8	5.1	5.7	5.9	5.9	4.4	3.2	2.2	1.7	46.3
Glendale	2.0	2.2	3.3	3.8	4.7	4.8	5.7	5.6	4.3	3.3	2.2	1.8	43.7
Glendora	2.0	2.5	3.6	4.9	5.4	6.1	7.3	6.8	5.7	4.2	2.6	2.0	53.1
Gorman	1.6	2.2	3.4	4.6	5.5	7.4	7.7	7.1	5.9	3.6	2.4	1.1	52.4
Hollywood Hills	2.1	2.2	3.8	5.4	6.0	6.5	6.7	6.4	5.2	3.7	2.8	2.1	52.8
Lancaster	2.1	3.0	4.6	5.9	8.5	9.7	11.0	9.8	7.3	4.6	2.8	1.7	71.1
Long Beach	1.8	2.1	3.3	3.9	4.5	4.3	5.3	4.7	3.7	2.8	1.8	1.5	39.7
Los Angeles	2.2	2.7	3.7	4.7	5.5	5.8	6.2	5.9	5.0	3.9	2.6	1.9	50.1
Monrovia	2.2	2.3	3.8	4.3	5.5	5.9	6.9	6.4	5.1	3.2	2.5	2.0	50.2
Palmdale	2.0	2.6	4.6	6.2	7.3	8.9	9.8	9.0	6.5	4.7	2.7	2.1	66.2
Pasadena	2.1	2.7	3.7	4.7	5.1	6.0	7.1	6.7	5.6	4.2	2.6	2.0	52.3
Pearblossom	1.7	2.4	3.7	4.7	7.3	7.7	9.9	7.9	6.4	4.0	2.6	1.6	59.9
Comona	1.7	2.0	3.4	4.5	5.0	5.8	6.5	6.4	4.7	3.5	2.3	1.7	47.5
Redondo Beach	2.2	2.4	3.3	3.8	4.5	4.7	5.4	4.8	4.4	2.8	2.4	2.0	42.6
San Fernando	2.0	2.7	3.5	4.6	5.5	5.9	7.3	6.7	5.3	3.9	2.6	2.0	52.0
Santa Clarita	2.8	2.8	4.1	5.6	6.0	6.8	7.6	7.8	5.8	5.2	3.7	3.2	61.5
Santa Monica	1.8	2.1	3.3	4.5	4.7	5.0	5.4	5.4	3.9	3.4	2.4	2.2	44.2
MADERA													
Chowchilla	1.0	1.4	3.2	4.7	6.6	7.8	8.5	7.3	5.3	3.4	1.4	0.7	51.4
Madera	0.9	1.4	3.2	4.8	6.6	7.8	8.5	7.3	5.3	3.4	1.4	0.7	51.5
Raymond	1.2	1.5	3.0	4.6	6.1	7.6	8.4	7.3	5.2	3.4	1.4	0.7	50.5
MARIN													
Black Point	1.1	1.7	3.0	4.2	5.2	6.2	6.6	5.8	4.3	2.8	1.3	0.9	43.0
Novato	1.3	1.5	2.4	3.5	4.4	6.0	5.9	5.4	4.4	2.8	1.4	0.7	39.8
Point San Pedro	1.1	1.7	3.0	4.2	5.2	6.2	6.6	5.8	4.3	2.8	1.3	0.9	43.0
San Rafael	1.2	1.3	2.4	3.3	4.0	4.8	4.8	4.9	4.3	2.7	1.3	0.7	35.8
MARIPOSA													
Coulterville	1.1	1.5	2.8	4.4	5.9	7.3	8.1	7.0	5.3	3.4	1.4	0.7	48.8
Mariposa	1.1	1.5	2.8	4.4	5.9	7.4	8.2	7.1	5.0	3.4	1.4	0.7	49.0
Yosemite Village	0.7	1.0	2.3	3.7	5.1	6.5	7.1	6.1	4.4	2.9	1.1	0.6	41.4
MENDOCINO													
Fort Bragg	0.9	1.3	2.2	3.0	3.7	3.5	3.7	3.7	3.0	2.3	1.2	0.7	29.0
Hopland	1.1	1.3	2.6	3.4	5.0	5.9	6.5	5.7	4.5	2.8	1.3	0.7	40.9
Point Arena	1.0	1.3	2.3	3.0	3.7	3.9	3.7	3.7	3.0	2.3	1.2	0.7	29.6
Sanel Valley	1.0	1.6	3.0	4.6	6.0	7.0	8.0	7.0	5.2	3.4	1.4	0.9	49.1
Ukiah	1.0	1.3	2.6	3.3	5.0	5.8	6.7	5.9	4.5	2.8	1.3	0.7	40.9
MERCED													
Westerson	0.9	1.7	3.4	5.5	7.3	8.2	8.6	7.4	5.5	3.8	1.8	0.9	55.1
Los Banos	1.0	1.5	3.2	4.7	6.1	7.4	8.2	7.0	5.3	3.4	1.4	0.7	50.0
Merced	1.0	1.5	3.2	4.7	6.6	7.9	8.5	7.2	5.3	3.4	1.4	0.7	51.5

Appendix A - Reference Evapotranspiration (ET_o) Table*

County and City	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual ET _o
MODOC													
Modoc/Alturas	0.9	1.4	2.8	3.7	5.1	6.2	7.5	6.6	4.6	2.8	1.2	0.7	43.2
MONO													
Bridgeport	0.7	0.9	2.2	3.8	5.5	6.6	7.4	6.7	4.7	2.7	1.2	0.5	43.0
MONTEREY													
Arroyo Seco	1.5	2.0	3.7	5.4	6.3	7.3	7.2	6.7	5.0	3.9	2.0	1.6	52.6
Castroville	1.4	1.7	3.0	4.2	4.6	4.8	4.0	3.8	3.0	2.6	1.6	1.4	36.2
Gonzales	1.3	1.7	3.4	4.7	5.4	6.3	6.3	5.9	4.4	3.4	1.9	1.3	45.7
Greenfield	1.8	2.2	3.4	4.8	5.6	6.3	6.5	6.2	4.8	3.7	2.4	1.8	49.5
King City	1.7	2.0	3.4	4.4	4.4	5.6	6.1	6.7	6.5	5.2	2.2	1.3	49.6
King City-Oasis Rd.	1.4	1.9	3.6	5.3	6.5	7.3	7.4	6.8	5.1	4.0	2.0	1.5	52.7
Long Valley	1.5	1.9	3.2	4.1	5.8	6.5	7.3	6.7	5.3	3.6	2.0	1.2	49.1
Monterey	1.7	1.8	2.7	3.5	4.0	4.1	4.3	4.2	3.5	2.8	1.9	1.5	36.0
Pajaro	1.8	2.2	3.7	4.8	5.3	5.7	5.6	5.3	4.3	3.4	2.4	1.8	46.1
Salinas	1.6	1.9	2.7	3.8	4.8	4.7	5.0	4.5	4.0	2.9	1.9	1.3	39.1
Salinas North	1.2	1.5	2.9	4.1	4.6	5.2	4.5	4.3	3.2	2.8	1.5	1.2	36.9
San Ardo	1.0	1.7	3.1	4.5	5.9	7.2	8.1	7.1	5.1	3.1	1.5	1.0	49.0
San Juan	1.8	2.1	3.4	4.6	5.3	5.7	5.5	4.9	3.8	3.2	2.2	1.9	44.2
Soledad	1.7	2.0	3.4	4.4	5.5	5.4	6.5	6.2	5.2	3.7	2.2	1.5	47.7
NAPA													
Angwin	1.8	1.9	3.2	4.7	5.8	7.3	8.1	7.1	5.5	4.5	2.9	2.1	54.9
Carneros	0.8	1.5	3.1	4.6	5.5	6.6	6.9	6.2	4.7	3.5	1.4	1.0	45.8
Oakville	1.0	1.5	2.9	4.7	5.8	6.9	7.2	6.4	4.9	3.5	1.6	1.2	47.7
St Helena	1.2	1.5	2.8	3.9	5.1	6.1	7.0	6.2	4.8	3.1	1.4	0.9	44.1
Yountville	1.3	1.7	2.8	3.9	5.1	6.0	7.1	6.1	4.8	3.1	1.5	0.9	44.3
NEVADA													
Grass Valley	1.1	1.5	2.6	4.0	5.7	7.1	7.9	7.1	5.3	3.2	1.5	0.9	48.0
Nevada City	1.1	1.5	2.6	3.9	5.8	6.9	7.9	7.0	5.3	3.2	1.4	0.9	47.4
ORANGE													
Irvine	2.2	2.5	3.7	4.7	5.2	5.9	6.3	6.2	4.6	3.7	2.6	2.3	49.6
Laguna Beach	2.2	2.7	3.4	3.8	4.6	4.6	4.9	4.9	4.4	3.4	2.4	2.0	43.2
Santa Ana	2.2	2.7	3.7	4.5	4.6	5.4	6.2	6.1	4.7	3.7	2.5	2.0	48.2
PLACER													
Auburn	1.2	1.7	2.8	4.4	6.1	7.4	8.3	7.3	5.4	3.4	1.6	1.0	50.6
Blue Canyon	0.7	1.1	2.1	3.4	4.8	6.0	7.2	6.1	4.6	2.9	0.9	0.6	40.5
Colfax	1.1	1.5	2.6	4.0	5.8	7.1	7.9	7.0	5.3	3.2	1.4	0.9	47.9
Roseville	1.1	1.7	3.1	4.7	6.2	7.7	8.5	7.3	5.6	3.7	1.7	1.0	52.2
Soda Springs	0.7	0.7	1.8	3.0	4.3	5.3	6.2	5.5	4.1	2.5	0.7	0.7	35.4
Tahoe City	0.7	0.7	1.7	3.0	4.3	5.4	6.1	5.6	4.1	2.4	0.8	0.6	35.5
Truckee	0.7	0.7	1.7	3.2	4.4	5.4	6.4	5.7	4.1	2.4	0.8	0.6	36.2
PLUMAS													
Portola	0.7	0.9	1.9	3.5	4.9	5.9	7.3	5.9	4.3	2.7	0.9	0.5	39.4
Quincy	0.7	0.9	2.2	3.5	4.9	5.9	7.3	5.9	4.4	2.8	1.2	0.5	40.2
RIVERSIDE													
Beaumont	2.0	2.3	3.4	4.4	6.1	7.1	7.6	7.9	6.0	3.9	2.6	1.7	55.0
Blythe	2.4	3.3	5.3	6.9	8.7	9.6	9.6	8.7	6.9	5.0	3.0	2.2	71.4
Cathedral City	1.6	2.2	3.7	5.1	6.8	7.8	8.7	7.8	5.7	4.0	2.1	1.6	57.1
Coachella	2.9	4.4	6.2	8.4	10.5	11.9	12.3	10.1	8.9	6.2	3.8	2.4	88.1
Desert Center	2.9	4.1	6.4	8.5	11.0	12.1	12.2	11.1	9.0	6.4	3.9	2.6	90.0
Elsinore	2.1	2.8	3.9	4.4	5.9	7.1	7.6	7.0	5.8	3.9	2.6	1.9	55.0
Indio	3.1	3.6	6.5	8.3	10.5	11.0	10.8	9.7	8.3	5.9	3.7	2.7	83.9

Appendix A - Reference Evapotranspiration (ET_o) Table*

County and City	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual ET _o
RIVERSIDE													
La Quinta	2.4	2.8	5.2	6.5	8.3	8.7	8.5	7.9	6.5	4.5	2.7	2.2	66.2
Mecca	2.6	3.3	5.7	7.2	8.6	9.0	8.8	8.2	6.8	5.0	3.2	2.4	70.8
Oasis	2.9	3.3	5.3	6.1	8.5	8.9	8.7	7.9	6.9	4.8	2.9	2.3	68.4
Palm Deser	2.5	3.4	5.3	6.9	8.7	9.6	9.6	8.7	6.9	5.0	3.0	2.2	71.6
Palm Springs	2.0	2.9	4.9	7.2	8.3	8.5	11.6	8.3	7.2	5.9	2.7	1.7	71.1
Rancho California	1.8	2.2	3.4	4.8	5.6	6.3	6.5	6.2	4.8	3.7	2.4	1.8	49.5
Rancho Mirage	2.4	3.3	5.3	6.9	8.7	9.6	9.6	8.7	6.9	5.0	3.0	2.2	71.4
Ripley	2.7	3.3	5.6	7.2	8.7	8.7	8.4	7.6	6.2	4.6	2.8	2.2	67.8
Salton Sea North	2.5	3.3	5.5	7.2	8.8	9.3	9.2	8.5	6.8	5.2	3.1	2.3	71.7
Temecula East II	2.3	2.4	4.1	4.9	6.4	7.0	7.8	7.4	5.7	4.1	2.6	2.2	56.7
Thermal	2.4	3.3	5.5	7.6	9.1	9.6	9.3	8.6	7.1	5.2	3.1	2.1	72.8
Riverside UC	2.5	2.9	4.2	5.3	5.9	6.6	7.2	6.9	5.4	4.1	2.9	2.6	56.4
Winchester	2.3	2.4	4.1	4.9	6.4	6.9	7.7	7.5	6.0	3.9	2.6	2.1	56.8
SACRAMENTO													
Fair Oaks	1.0	1.6	3.4	4.1	6.5	7.5	8.1	7.1	5.2	3.4	1.5	1.0	50.5
Sacramento	1.0	1.8	3.2	4.7	6.4	7.7	8.4	7.2	5.4	3.7	1.7	0.9	51.9
Twitchell Island	1.2	1.8	3.9	5.3	7.4	8.8	9.1	7.8	5.9	3.8	1.7	1.2	57.9
SAN BENITO													
Hollister	1.5	1.8	3.1	4.3	5.5	5.7	6.4	5.9	5.0	3.5	1.7	1.1	45.1
San Benito	1.2	1.6	3.1	4.6	5.6	6.4	6.9	6.5	4.8	3.7	1.7	1.2	47.2
San Juan Valley	1.4	1.8	3.4	4.5	6.0	6.7	7.1	6.4	5.0	3.5	1.8	1.4	49.1
SAN BERNARDINO													
Baker	2.7	3.9	6.1	8.3	10.4	11.8	12.2	11.0	8.9	6.1	3.3	2.1	86.6
Barstow NE	2.2	2.9	5.3	6.9	9.0	10.1	9.9	8.9	6.8	4.8	2.7	2.1	71.7
Big Bear Lake	1.8	2.6	4.6	6.0	7.0	7.6	8.1	7.4	5.4	4.1	2.4	1.8	58.6
Chino	2.1	2.9	3.9	4.5	5.7	6.5	7.3	7.1	5.9	4.2	2.6	2.0	54.6
Crestline	1.5	1.9	3.3	4.4	5.5	6.6	7.8	7.1	5.4	3.5	2.2	1.6	50.8
Lake Arrowhead	1.8	2.6	4.6	6.0	7.0	7.6	8.1	7.4	5.4	4.1	2.4	1.8	58.6
Lucerne Valley	2.2	2.9	5.1	6.5	9.1	11.0	11.4	9.9	7.4	5.0	3.0	1.8	75.3
Needles	3.2	4.2	6.6	8.9	11.0	12.4	12.8	11.0	8.9	6.6	4.0	2.7	92.1
Newberry Springs	2.1	2.9	5.3	8.4	9.8	10.9	11.1	9.9	7.6	5.2	3.1	2.0	78.2
San Bernardino	2.0	2.7	3.8	4.6	5.7	6.9	7.9	7.4	5.9	4.2	2.6	2.0	55.6
Twentynine Palms	2.6	3.6	5.9	7.9	10.1	11.2	11.2	10.3	8.6	5.9	3.4	2.2	82.9
Victorville	2.0	2.6	4.6	6.2	7.3	8.9	9.8	9.0	6.5	4.7	2.7	2.1	66.2
SAN DIEGO													
Chula Vista	2.2	2.7	3.4	3.8	4.9	4.7	5.5	4.9	4.5	3.4	2.4	2.0	44.2
Escondido SPV	2.4	2.6	3.9	4.7	5.9	6.5	7.1	6.7	5.3	3.9	2.8	2.3	54.2
Miramar	2.3	2.5	3.7	4.1	5.1	5.4	6.1	5.8	4.5	3.3	2.4	2.1	47.1
Oceanside	2.2	2.7	3.4	3.7	4.9	4.6	4.6	5.1	4.1	3.3	2.4	2.0	42.9
Otay Lake	2.3	2.7	3.9	4.6	5.6	5.9	6.2	6.1	4.8	3.7	2.6	2.2	50.4
Pine Valley	1.5	2.4	3.8	5.1	6.0	7.0	7.8	7.3	6.0	4.0	2.2	1.7	54.8
Ramona	2.1	2.1	3.4	4.6	5.2	6.3	6.7	6.8	5.3	4.1	2.8	2.1	51.6
San Diego	2.1	2.4	3.4	4.6	5.1	5.3	5.7	5.6	4.3	3.6	2.4	2.0	46.5
Santee	2.1	2.7	3.7	4.5	5.5	6.1	6.6	6.2	5.4	3.8	2.6	2.0	51.1
Torrey Pines	2.2	2.3	3.4	3.9	4.0	4.1	4.6	4.7	3.8	2.8	2.0	2.0	39.8
Warner Springs	1.6	2.7	3.7	4.7	5.7	7.6	8.3	7.7	6.3	4.0	2.5	1.3	56.0
SAN FRANCISCO													
San Francisco	1.5	1.3	2.4	3.0	3.7	4.6	4.9	4.8	4.1	2.8	1.3	0.7	35.1
SAN JOAQUIN													
Farmington	1.5	1.5	2.9	4.7	6.2	7.6	8.1	6.8	5.3	3.3	1.4	0.7	50.0

Appendix A - Reference Evapotranspiration (ET_o) Table*

County and City	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual ET _o
SAN JOAQUIN													
Lodi West	1.0	1.6	3.3	4.3	6.3	6.9	7.3	6.4	4.5	3.0	1.4	0.8	46.7
Manteca	0.9	1.7	3.4	5.0	6.5	7.5	8.0	7.1	5.2	3.3	1.6	0.9	51.2
Stockton	0.8	1.5	2.9	4.7	6.2	7.4	8.1	6.8	5.3	3.2	1.4	0.6	49.1
Tracy	1.0	1.5	2.9	4.5	6.1	7.3	7.9	6.7	5.3	3.2	1.3	0.7	48.5
SAN LUIS OBISPO													
Arroyo Grande	2.0	2.2	3.2	3.8	4.3	4.7	4.3	4.6	3.8	3.2	2.4	1.7	40.0
Atascadero	1.2	1.5	2.8	3.9	4.5	6.0	6.7	6.2	5.0	3.2	1.7	1.0	43.7
Morro Bay	2.0	2.2	3.1	3.5	4.3	4.5	4.6	4.6	3.8	3.5	2.1	1.7	39.9
Nipomo	2.2	2.5	3.8	5.1	5.7	6.2	6.4	6.1	4.9	4.1	2.9	2.3	52.1
Paso Robles	1.6	2.0	3.2	4.3	5.5	6.3	7.3	6.7	5.1	3.7	2.1	1.4	49.0
San Luis Obispo	2.0	2.2	3.2	4.1	4.9	5.3	4.6	5.5	4.4	3.5	2.4	1.7	43.8
San Miguel	1.6	2.0	3.2	4.3	5.0	6.4	7.4	6.8	5.1	3.7	2.1	1.4	49.0
San Simeon	2.0	2.0	2.9	3.5	4.2	4.4	4.6	4.3	3.5	3.1	2.0	1.7	38.1
SAN MATEO													
Hal Moon Bay	1.5	1.7	2.4	3.0	3.9	4.3	4.3	4.2	3.5	2.8	1.3	1.0	33.7
Redwood City	1.5	1.8	2.9	3.8	5.2	5.3	6.2	5.6	4.8	3.1	1.7	1.0	42.8
Woodside	1.8	2.2	3.4	4.8	5.6	6.3	6.5	6.2	4.8	3.7	2.4	1.8	49.5
SANTA BARBARA													
Betteravia	2.1	2.6	4.0	5.2	6.0	5.9	5.8	5.4	4.1	3.3	2.7	2.1	49.1
Carpenteria	2.0	2.4	3.2	3.9	4.8	5.2	5.5	5.7	4.5	3.4	2.4	2.0	44.9
Cuyama	2.1	2.4	3.8	5.4	6.9	7.9	8.5	7.7	5.9	4.5	2.6	2.0	59.7
Goleta	2.1	2.5	3.9	5.1	5.7	5.7	5.4	5.4	4.2	3.2	2.8	2.2	48.1
Goleta Foothills	2.3	2.6	3.7	5.4	5.3	5.6	5.5	5.7	4.5	3.9	2.8	2.3	49.6
Guadalupe	2.0	2.2	3.2	3.7	4.9	4.6	4.5	4.6	4.1	3.3	2.4	1.7	41.1
Lompoc	2.0	2.2	3.2	3.7	4.8	4.6	4.9	4.8	3.9	3.2	2.4	1.7	41.1
Los Alamos	1.8	2.0	3.2	4.1	4.9	5.3	5.7	5.5	4.4	3.7	2.4	1.6	44.6
Santa Barbara	2.0	2.5	3.2	3.8	4.6	5.1	5.5	4.5	3.4	2.4	1.8	1.8	40.6
Santa Maria	1.8	2.3	3.7	5.1	5.7	5.8	5.6	5.3	4.2	3.5	2.4	1.9	47.4
Santa Ynez	1.7	2.2	3.5	5.0	5.8	6.2	6.4	6.0	4.5	3.6	2.2	1.7	48.7
Sisquoc	2.1	2.5	3.8	4.1	6.1	6.3	6.4	5.8	4.7	3.4	2.3	1.8	49.2
Solvang	2.0	2.0	3.3	4.3	5.0	5.6	6.1	5.6	4.4	3.7	2.2	1.6	45.6
SANTA CLARA													
Gilroy	1.3	1.8	3.1	4.1	5.3	5.6	6.1	5.5	4.7	3.4	1.7	1.1	43.6
Los Gatos	1.5	1.8	2.8	3.9	5.0	5.6	6.2	5.5	4.7	3.2	1.7	1.1	42.9
Morgan Hill	1.5	1.8	3.4	4.2	6.3	7.0	7.1	6.0	5.1	3.7	1.9	1.4	49.5
Palo Alto	1.5	1.8	2.8	3.8	5.2	5.3	6.2	5.6	5.0	3.2	1.7	1.0	43.0
San Jose	1.5	1.8	3.1	4.1	5.5	5.8	6.5	5.9	5.2	3.3	1.8	1.0	45.3
SANTA CRUZ													
De Laveaga	1.4	1.9	3.3	4.7	4.9	5.3	5.0	4.8	3.6	3.0	1.6	1.3	40.8
Green Valley Rd	1.2	1.8	3.2	4.5	4.6	5.4	5.2	5.0	3.7	3.1	1.6	1.3	40.6
Santa Cruz	1.5	1.8	2.6	3.5	4.3	4.4	4.8	4.4	3.8	2.8	1.7	1.2	36.6
Watsonville	1.5	1.8	2.7	3.7	4.6	4.5	4.9	4.2	4.0	2.9	1.8	1.2	37.7
Webb	1.8	2.2	3.7	4.8	5.3	5.7	5.6	5.3	4.3	3.4	2.4	1.8	46.2
SHASTA													
Burney	0.7	1.0	2.1	3.5	4.9	5.9	7.4	6.4	4.4	2.9	0.9	0.6	40.9
Fall River Mills	0.6	1.0	2.1	3.7	5.0	6.1	7.8	6.7	4.6	2.8	0.9	0.5	41.8
Glenburn	0.6	1.0	2.1	3.7	5.0	6.3	7.8	6.7	4.7	2.8	0.9	0.6	42.1
McArthur	0.7	1.4	2.9	4.2	5.6	6.9	8.2	7.2	5.0	3.0	1.1	0.6	46.8
Redding	1.2	1.4	2.6	4.1	5.6	7.1	8.5	7.3	5.3	3.2	1.4	0.9	48.8

Appendix A - Reference Evapotranspiration (ET_o) Table*

County and City	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual ET _o
SIERRA													
Downieville	0.7	1.0	2.3	3.5	5.0	6.0	7.4	6.2	4.7	2.8	0.9	0.6	41.3
Sierraville	0.7	1.1	2.2	3.2	4.5	5.9	7.3	6.4	4.3	2.6	0.9	0.5	39.6
SISKIYOU													
Happy Camp	0.5	0.9	2.0	3.0	4.3	5.2	6.1	5.3	4.1	2.4	0.9	0.5	35.1
MacDoel	1.0	1.7	3.1	4.5	5.9	7.2	8.1	7.1	5.1	3.1	1.5	1.0	49.0
Mt Shasta	0.5	0.9	2.0	3.0	4.5	5.3	6.7	5.7	4.0	2.2	0.7	0.5	36.0
Tule Lake FS	0.7	1.3	2.7	4.0	5.4	6.3	7.1	6.4	4.7	2.8	1.0	0.6	42.9
Weed	0.5	0.9	2.0	2.5	4.5	5.3	6.7	5.5	3.7	2.0	0.9	0.5	34.9
Yreka	0.6	0.9	2.1	3.0	4.9	5.8	7.3	6.5	4.3	2.5	0.9	0.5	39.2
SOLANO													
Dixon	0.7	1.4	3.2	5.2	6.3	7.6	8.2	7.2	5.5	4.3	1.6	1.1	52.1
Fairfield	1.1	1.7	2.8	4.0	5.5	6.1	7.8	6.0	4.8	3.1	1.4	0.9	45.2
Hastings Tract	1.6	2.2	3.7	5.1	6.8	7.8	8.7	7.8	5.7	4.0	2.1	1.6	57.1
Putah Creek	1.0	1.6	3.2	4.9	6.1	7.3	7.9	7.0	5.3	3.8	1.8	1.2	51.0
Rio Vista	0.9	1.7	2.8	4.4	5.9	6.7	7.9	6.5	5.1	3.2	1.3	0.7	47.0
Suisun Valley	0.6	1.3	3.0	4.7	5.8	7.0	7.7	6.8	5.3	3.8	1.4	0.9	48.3
Winters	0.9	1.7	3.3	5.0	6.4	7.5	7.9	7.0	5.2	3.5	1.6	1.0	51.0
SONOMA													
Bennett Valley	1.1	1.7	3.2	4.1	5.5	6.5	6.6	5.7	4.5	3.1	1.5	0.9	44.4
Cloverdale	1.1	1.4	2.6	3.4	5.0	5.9	6.2	5.6	4.5	2.8	1.4	0.7	40.7
Fort Ross	1.2	1.4	2.2	3.0	3.7	4.5	4.2	4.3	3.4	2.4	1.2	0.5	31.9
Gealdsburg	1.2	1.5	2.4	3.5	5.0	5.9	6.1	5.6	4.5	2.8	1.4	0.7	40.8
Lincoln	1.2	1.7	2.8	4.7	6.1	7.4	8.4	7.3	5.4	3.7	1.9	1.2	51.9
Petaluma	1.2	1.5	2.8	3.7	4.6	5.6	4.6	5.7	4.5	2.9	1.4	0.9	39.6
Santa Rosa	1.2	1.7	2.8	3.7	5.0	6.0	6.1	5.9	4.5	2.9	1.5	0.7	42.0
Valley of the Moon	1.0	1.6	3.0	4.5	5.6	6.6	7.1	6.3	4.7	3.3	1.5	1.0	46.1
Windsor	0.9	1.6	3.0	4.5	5.5	6.5	6.5	5.9	4.4	3.2	1.4	1.0	44.2
STANISLAUS													
Denair	1.0	1.9	3.6	4.7	7.0	7.9	8.0	6.1	5.3	3.4	1.5	1.0	51.4
La Grange	1.2	1.5	3.1	4.7	6.2	7.7	8.5	7.3	5.3	3.4	1.4	0.7	51.2
Modesto	0.9	1.4	3.2	4.7	6.4	7.7	8.1	6.8	5.0	3.4	1.4	0.7	49.7
Newman	1.0	1.5	3.2	4.6	6.2	7.4	8.1	6.7	5.0	3.4	1.4	0.7	49.3
Oakdale	1.2	1.5	3.2	4.7	6.2	7.7	8.1	7.1	5.1	3.4	1.4	0.7	50.3
Patterson	1.3	2.1	4.2	5.4	7.9	8.6	8.2	6.6	5.8	4.0	1.9	1.3	57.3
Turlock	0.9	1.5	3.2	4.7	6.5	7.7	8.2	7.0	5.1	3.4	1.4	0.7	50.2
SUTTER													
Nicolaus	0.9	1.6	3.2	4.9	6.3	7.5	8.0	6.9	5.2	3.4	1.5	0.9	50.2
Yuba City	1.3	2.1	2.8	4.4	5.7	7.2	7.1	6.1	4.7	3.2	1.2	0.9	46.7
TEHAMA													
Corning	1.2	1.8	2.9	4.5	6.1	7.3	8.1	7.2	5.3	3.7	1.7	1.1	50.7
Gerber	1.0	1.8	3.5	5.0	6.6	7.9	8.7	7.4	5.8	4.1	1.8	1.1	54.7
Gerber Dryland	0.9	1.6	3.2	4.7	6.7	8.4	9.0	7.9	6.0	4.2	2.0	1.0	55.5
Red Bluff	1.2	1.8	2.9	4.4	5.9	7.4	8.5	7.3	5.4	3.5	1.7	1.0	51.1
TRINITY													
Hay Fork	0.5	1.1	2.3	3.5	4.9	5.9	7.0	6.0	4.5	2.8	0.9	0.7	40.1
Weaverville	0.6	1.1	2.2	3.3	4.9	5.9	7.3	6.0	4.4	2.7	0.9	0.7	40.0
UTAH													
Alpaugh	0.9	1.7	3.4	4.8	6.6	7.7	8.2	7.3	5.4	3.4	1.4	0.7	51.6
Badger	1.0	1.3	2.7	4.1	6.0	7.3	7.7	7.0	4.8	3.3	1.4	0.7	47.3
Delano	1.1	1.9	4.0	4.9	7.2	7.9	8.1	7.3	5.4	3.2	1.5	1.2	53.6

Appendix A - Reference Evapotranspiration (ET_o) Table*

County and City	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual ET _o
TULARE													
Dinuba	1.1	1.5	3.2	4.7	6.2	7.7	8.5	7.3	5.3	3.4	1.4	0.7	51.2
Lindcove	0.9	1.6	3.0	4.8	6.5	7.6	8.1	7.2	5.2	3.4	1.6	0.9	50.6
Porterville	1.2	1.8	3.4	4.7	6.6	7.7	8.5	7.3	5.3	3.4	1.4	0.7	52.1
Visalia	0.9	1.7	3.3	5.1	6.8	7.7	7.9	6.9	4.9	3.2	1.5	0.8	50.7
TUOLUMNE													
Groveland	1.1	1.5	2.8	4.1	5.7	7.2	7.9	6.6	5.1	3.3	1.4	0.7	47.5
Sonora	1.1	1.5	2.8	4.1	5.8	7.2	7.9	6.7	5.1	3.2	1.4	0.7	47.6
VENTURA													
Camarillo	2.2	2.5	3.7	4.3	5.0	5.2	5.9	5.4	4.2	3.0	2.5	2.1	46.1
Oxnard	2.2	2.5	3.2	3.7	4.4	4.6	5.4	4.8	4.0	3.3	2.4	2.0	42.3
Piru	2.8	2.8	4.1	5.6	6.0	6.8	7.6	7.8	5.8	5.2	3.7	3.2	61.5
Port Hueneme	2.0	2.3	3.3	4.6	4.9	4.9	4.9	5.0	3.7	3.2	2.5	2.2	43.5
Thousand Oaks	2.2	2.6	3.4	4.5	5.4	5.9	6.7	6.4	5.4	3.9	2.6	2.0	51.0
Ventura	2.2	2.6	3.2	3.8	4.6	4.7	5.5	4.9	4.1	3.4	2.5	2.0	43.5
YOLO													
Bryte	0.9	1.7	3.3	5.0	6.4	7.5	7.9	7.0	5.2	3.5	1.6	1.0	51.0
Davis	1.0	1.9	3.3	5.0	6.4	7.6	8.2	7.1	5.4	4.0	1.8	1.0	52.5
Esparto	1.0	1.7	3.4	5.5	6.9	8.1	8.5	7.5	5.8	4.2	2.0	1.2	55.8
Winters	1.7	1.7	2.9	4.4	5.8	7.1	7.9	6.7	5.3	3.3	1.6	1.0	49.4
Woodland	1.0	1.8	3.2	4.7	6.1	7.7	8.2	7.2	5.4	3.7	1.7	1.0	51.6
Zamora	1.1	1.9	3.5	5.2	6.4	7.4	7.8	7.0	5.5	4.0	1.9	1.2	52.8
YUBA													
Browns Valley	1.0	1.7	3.1	4.7	6.1	7.5	8.5	7.6	5.7	4.1	2.0	1.1	52.9
Brownsville	1.1	1.4	2.6	4.0	5.7	6.8	7.9	6.8	5.3	3.4	1.5	0.9	47.4

* The values in this table were derived from:

- 1) California Irrigation Management Information System (CIMIS);
- 2) Reference EvapoTranspiration Zones Map, UC Dept. of Land, Air & Water Resources and California Dept of Water Resources 1999; and
- 3) Reference Evapotranspiration for California, University of California, Department of Agriculture and Natural Resources (1987) Bulletin 1922, 4) Determining Daily Reference Evapotranspiration, Cooperative Extension UC Division of Agriculture and Natural Resources (1987), Publication Leaflet 21426

Appendix B – Sample Water Efficient Landscape Worksheet.

WATER EFFICIENT LANDSCAPE WORKSHEET

This worksheet is filled out by the project applicant and it is a required element of the Landscape Documentation Package.
Please complete all sections (A and B) of the worksheet.

SECTION A. HYDROZONE INFORMATION TABLE

Please complete the hydrozone table(s) for each hydrozone. Use as many tables as necessary to provide the square footage of landscape area per hydrozone.

Hydrozone*	Zone or Valve	Irrigation Method**	Area (Sq. Ft.)	% of Landscape Area
Total				100%

*** Hydrozone**

HW = High Water Use Plants

MW = Moderate Water Use Plants

LW = Low Water Use Plants

****Irrigation Method**

MS = Micro-spray

S = Spray

R = Rotor

B = Bubbler

D = Drip

O = Other

SECTION B. WATER BUDGET CALCULATIONS

Section B1. Maximum Applied Water Allowance (MAWA)

The project's Maximum Applied Water Allowance shall be calculated using this equation:

$$\text{MAWA} = (\text{ETo}) (0.62) [(0.7 \times \text{LA}) + (0.3 \times \text{SLA})]$$

where:

MAWA = Maximum Applied Water Allowance (gallons per year)

ETo = Reference Evapotranspiration from Appendix A (inches per year)

0.7 = ET Adjustment Factor (ETAF)

LA = Landscaped Area includes Special Landscape Area (square feet)

0.62 = Conversion factor (to gallons per square foot)

SLA = Portion of the landscape area identified as Special Landscape Area (square feet)

0.3 = the additional ET Adjustment Factor for Special Landscape Area (1.0 - 0.7 = 0.3)

Maximum Applied Water Allowance = _____ gallons per year

Show calculations.

Effective Precipitation (Eppt)

If considering Effective Precipitation, use 25% of annual precipitation. Use the following equation to calculate Maximum Applied Water Allowance:

$$\text{MAWA} = (\text{ETo} - \text{Eppt}) (0.62) [(0.7 \times \text{LA}) + (0.3 \times \text{SLA})]$$

Maximum Applied Water Allowance = _____ gallons per year

Show calculations.

Section B2. Estimated Total Water Use (ETWU)

The project's Estimated Total Water Use is calculated using the following formula:

$$ETWU = (ETO)(0.62) \left(\frac{PF \times HA}{IE} + SLA \right)$$

where:

ETWU = Estimated total water use per year (gallons per year)

ETo = Reference Evapotranspiration (inches per year)

PF = Plant Factor from WUCOLS (see Definitions)

HA = Hydrozone Area [high, medium, and low water use areas] (square feet)

SLA = Special Landscape Area (square feet)

0.62 = Conversion Factor (to gallons per square foot)

IE = Irrigation Efficiency (minimum 0.71)

Hydrozone Table for Calculating ETWU

Please complete the hydrozone table(s). Use as many tables as necessary.

Hydrozone	Plant Water Use Type(s)	Plant Factor (PF)	Area (HA) (square feet)	PF x HA (square feet)
			Sum	
	SLA			

Estimated Total Water Use = _____ gallons

Show calculations.

Appendix C – Sample Certificate of Completion.

CERTIFICATE OF COMPLETION

This certificate is filled out by the project applicant upon completion of the landscape project.

PART 1. PROJECT INFORMATION SHEET

Date		
Project Name		
Name of Project Applicant	Telephone No.	
	Fax No.	
Title	Email Address	
Company	Street Address	
City	State	Zip Code

Project Address and Location:

Street Address		Parcel, tract or lot number, if available.
City		Latitude/Longitude (optional)
State	Zip Code	

Property Owner or his/her designee:

Name	Telephone No.	
	Fax No.	
Title	Email Address	
Company	Street Address	
City	State	Zip Code

Property Owner

"I/we certify that I/we have received copies of all the documents within the Landscape Documentation Package and the Certificate of Completion and that it is our responsibility to see that the project is maintained in accordance with the Landscape and Irrigation Maintenance Schedule."

Property Owner Signature

Date

Please answer the questions below:

1. Date the Landscape Documentation Package was submitted to the local agency _____
2. Date the Landscape Documentation Package was approved by the local agency _____
3. Date that a copy of the Water Efficient Landscape Worksheet (including the Water Budget Calculation) was submitted to the local water purveyor _____

PART 2. CERTIFICATION OF INSTALLATION ACCORDING TO THE LANDSCAPE DOCUMENTATION PACKAGE

"I/we certify that based upon periodic site observations, the work has been substantially completed in accordance with the ordinance and that the landscape planting and irrigation installation conform with the criteria and specifications of the approved Landscape Documentation Package."

Signature*	Date	
Name (print)	Telephone No.	
	Fax No.	
Title	Email Address	
License No. or Certification No.		
Company	Street Address	
City	State	Zip Code

*Signer of the landscape design plan, signer of the irrigation plan, or a licensed landscape contractor.

PART 3. IRRIGATION SCHEDULING

Attach parameters for setting the irrigation schedule on controller per ordinance Section 492.10.

PART 4. SCHEDULE OF LANDSCAPE AND IRRIGATION MAINTENANCE

Attach schedule of Landscape and Irrigation Maintenance per ordinance Section 492.11.

PART 5. LANDSCAPE IRRIGATION AUDIT REPORT

Attach Landscape Irrigation Audit Report per ordinance Section 492.12.

PART 6. SOIL MANAGEMENT REPORT

Attach soil analysis report, if not previously submitted with the Landscape Documentation Package per ordinance Section 492.5.

Attach documentation verifying implementation of recommendations from soil analysis report per ordinance Section 492.5.

PLANNING COMMISSION STAFF REPORT

Meeting Date: August 10, 2010

From: David Woltering, AICP, Community Development Director *DW*
Milan J. Sikela, Jr., Assistant Planner *MS*

Subject: City of Clayton
Tree Removal Permit (TRP 17-10)

This staff report supplements the staff report dated August 10, 2010.

BACKGROUND AND ANALYSIS

On June 22, 2010, the Planning Commission reviewed and approved Tree Removal Permit TRP 17-10 for the removal of one cypress tree in The Grove park. The Commission expressed interest in considering options to the two London Plane trees that were proposed to replace the cypress tree. A condition of approval for TRP 17-10 was that staff would "return within 90 days of the June 22, 2010 Planning Commission action with a plan for tree replacement to the satisfaction of the Planning Commission." As a result of this direction, Community Development Department staff met with Maintenance Supervisor Mark Janney at The Grove on July 15, 2010. Community Development staff and Mr. Janney discussed the following issues and concerns:

- The proposal for two replacement London Plane trees may be excessive for the space occupied by the cypress tree.
- Ensure that the selection of a replacement tree(s) is complementary to the overall planting plan for The Grove park.
- Ensure that the selected replacement tree(s) does not create a safety hazard in terms of sight distance obstruction for pedestrians, bicyclists, and motorists.

Information shared by Mr. Janney at the meeting included the following:

- Bradford Pears are slowly being removed from The Grove because of ongoing blight.
- The "Golden Rain" trees are small and slow growing, which is good for the area around the chess board tables.
- Chinese Elm trees just to the north and east of the playground will provide good canopies for shading the open grass areas between the playground and chess board table area.
- London Planes are good shade trees to plant along Main Street.
- The planting of London Plane trees on Main Street would be in keeping with the planting theme along the north side of The Grove and the Main Street and Marsh Creek Road vicinity.
- London Plane trees can be "limbed up" to avoid any sight distance obstruction.
- One rather than two London Plane trees would be sufficient for the location previously occupied by the cypress tree.
- In the circumstance that the two remaining cypress trees should die and need to be removed, another London Plane tree could be installed approximately in the area between those two trees, offering a long-term plan for tree replacement in that area which would respect the planting theme of The Grove.

RECOMMENDATION

After meeting with Mr. Janney at The Grove and observing first-hand the now available space for the replacement tree and considering the information received and discussed with Mr. Janney, Community Development Department staff recommends the installation of one London Plane tree at the approximate location where the cypress tree was removed.

Staff recommends that Commissioners individually visit the site prior to the meeting to facilitate discussion of this item at the August 10, 2010 Commission meeting. A member of the Maintenance Department staff will be at the August 10, 2010 Commission meeting to answer questions, as necessary. Now that the cypress tree has been removed, it is easier to envision the opportunity for a replacement tree.

TRP\2010\17-10.sr2